## Kombat

## FLEA & TICK SPRAY FOR DOGS AND CATS

**PRESSURIZED** 

**DOMESTIC** 

Kills Dog and Cat Fleas, American Dog & Brown Dog Tick

Fresh Scent

## **GUARANTEE:**

Pyrethrins 0.100%

Piperonyl Butoxide 0.194%

N-Octyl Bicycloheptene Dicarboximide 0.336%

**CAUTION** 



EXPLOSIVE REG. NO. 31586 P.C.P. ACT

NET CONTENTS-----grams

READ THE LABEL BEFORE USING

**USE ONLY ON DOGS AND CATS** 

KEEP OUT OF REACH OF CHILDREN

Novella Brands Inc. 120 Midair Court, Brampton ON L6T 5V1 1-905-790-0650 DIRECTIONS: Use ONLY in a well-ventilated area, preferably outdoors. Shake well before using. Wet animal's head FIRST to drive pests onto the body. Remove cap. Hold can in upright position 25-30 cm from pet and spray evenly to lightly dampen coat over entire body beginning at head and working towards the tail. Pay special attention to neck and hindquarters. Do not spray face, eyes or genitals. As you spray, fluff the hair so that spray will penetrate to the skin but spray only until hair is damp-- not wet. Apply as evenly as possible because fleas will migrate to untreated areas (e.g. toes, foot pads, around ears). Do not soak animals. Comb and brush into coat. Spray ticks directly. Also spray bed and living quarters if needed. Do not use on puppies or kittens under 8 weeks of age, or nursing females. Do not spray more than once a week. Consult veterinarian before use on pregnant animals. Do not use on sick animals or animals under drug or other pesticide treatment. Treatment must be repeated only if the pest problem persists or reoccurs.

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters, and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Remove old bedding and replace with fresh clean bedding after treatment. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS: PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. Do NOT place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Do not spray near open flame or spark or while smoking.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with mouth, eyes, skin and clothing. Avoid contact with pet until dry. Avoid skin contact by wearing rubber gloves. After handling or applying, wash gloved hands (or any other skin that came into contact with the product) with soap and water. Avoid product contact with food, food utensils or places where food is prepared or stored.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Do not spray in eyes, or face, or on genitals of pet. Discontinue use if dermal or nasal irritation develops. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

## FIRST AID:

HUMANS: IF INHALED, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice. IF ON SKIN, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. IF SPRAYED IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor

immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS: Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty press valve to release pressure. Wrap and dispose of empty container in regular household garbage. Do not puncture or incinerate.