(Front panel)

BUG BOSS

DOMESTIC

SOLUTION

READ THE LABEL BEFORE USING

For the control of listed pests inside Homes and Apartments

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS : 1 Litre

DANGER

POISON

ACTIVE INGREDIENT: PERMETHRIN......0.25% REG

Contains benzoic acid, sodium salt at 0.1% as a preservative.

No: 30422 P.C.P.ACT

Laboratoire Hygienex Inc. 6400, Zéphirin-Paquet Québec, QC G2C 0M3 1-800-681-2332

DIRECTIONS: This product may stain or damage certain plastic, rubber and asphalt materials such as tiles, floor covering and carpets. Do not apply to tapestries, wall paper or similar materials that may be stained. Apply with caution to surfaces outlined and avoid excessive wetting. Test a small inconspicuous area of the surface to be treated for color fastness & staining before full application. Good sanitary practices should be maintained to prevent re-infestation.

Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible.

## **Restrictions:**

Unless otherwise stated on this label, DO NOT apply to furniture (excluding bookcases and storage furniture), mattresses, linens, toys or clothing.

DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces).

Ventilate treated areas after application by opening windows and doors or using fans where required to aid in the circulation of air.

DO NOT transfer product to another container.

DO NOT apply as a space spray or broadcast application. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed.

DO NOT apply when people or pets are present.

DO NOT allow people or pets to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces.DO NOT apply to people, plants, pets or sources of electricity.

## How to Apply Indoor:

Apply as a crack and crevice or spot treatment only to control pests listed on this label. <u>Spot treatment</u> is localized to surface area not more than 0.2 m<sup>2</sup>. Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. <u>Crack and crevice</u> is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

## Instruction for inside buildings:

To Control Ants, Cockroaches, Silverfish, Spiders:

Apply with a paint brush, or as a coarse spray. Thoroughly treat inside building surfaces, including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes;, around garbage containers; around interior foundations; localized area around garbage cans; localized areas of floors and floor coverings and points of entry (e.g., around windows and doors). For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items. For ants, also spray trails and nests. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

<u>To Control Fleas [(Adult and Larvae)] and Brown Dog Ticks [(Adult and Nymphs)]:</u>

DO NOT apply to furniture, mattresses, linens, toys or clothing. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings. Replace pet bedding with clean, fresh bedding after other listed areas are treated. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective

flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, clothing and inhalation of vapors or spray mist. Wash thoroughly after handling and before eating, drinking. Remove fish bowls from area before treatment and do not return them for at least 4 hours after treatment. Do not use in any area where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored. In home or dwellings, remove or cover all exposed food and cooking utensils before spraying, thoroughly wash all surfaces that might contact food before reuse. Do not store or spray near open flame or stove.

**ENVIRONMENTAL PRECAUTIONS:**Toxic to aquatic organisms. Toxic to birds.

Toxic to bees. Toxic to beneficial insects.

FIRST AID: **If swallowed**: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre of doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION: Atropine is antidotal.

DISPOSAL: Do not reuse empty containers. Wrap empty container and discard in household garbage.