

2015-1506
2015-05-14

OUTER PACKAGING

**Wilson®
Predator®
Rat Bait Station**

Solid

This bait station is resistant to weather and to tampering by children and pets.
For use indoors and outdoors.

MOLD RESISTANT • MOISTURE RESISTANT

DOMESTIC

REG. NO. 30688 P.C.P. ACT

GUARANTEE:

Diphacinone.....0.005%

Warning, contains the allergens wheat and soy, and peanuts .

Contains potassium sorbate at 1.00% and sodium saccharin at 0.01% as preservatives.

READ THE LABEL BEFORE USING

(see back panel for additional precautionary statements)

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION

113 g bait block

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

DIRECTIONS FOR USE: Use bait to control the Norway rat (*Rattus norvegicus*) and Roof rat (*Rattus rattus*) indoors and outdoors within 15 metres of buildings. **USE LIMITATIONS:** This bait station may be used indoors and outdoors within 15 metres of buildings accessible to children, pets and non-target animals, consistent with all use restrictions and other requirements indicated on this label. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Maintain a steady supply of fresh bait. Remove any spoiled or contaminated bait promptly.

APPLICATION DIRECTIONS: Use 1 to 4 stations for rats, every 5 to 10 metres. Place bait stations at highest point of activity beside burrows, along a wall or in corners where rats or their signs have been seen. Maintain an uninterrupted supply of fresh bait for 10 days or until signs of rat activity cease in infested areas. Replace bait stations if contents are consumed or contaminated. Collect and dispose of unconsumed bait and dead exposed animals according to local requirements. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

PRECAUTIONS: KEEP AWAY FROM CHILDREN, PETS AND LIVESTOCK. Bait station contents may be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when collecting and disposing of emptied bait stations and disposing of dead rodents. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing separately from other laundry, with soap and water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or Poison Control Centre. **If a pet or livestock poisoning is suspected,** immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DISPOSAL: Do not reuse empty container. Wrap unwanted or damaged bait stations and discard in household garbage. DO NOT use damaged bait stations. **RODENT DISPOSAL:** Dispose of dead rodents in garbage or by burying.

STORAGE: Store in cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**For additional product information, or in case of emergency, spills or fire, call toll-free 1-800-268-2806.
www.pthomeandgarden.com**

BAIT STATION

Wilson[®]
Predator[®]
Rat Bait Station

This Bait Station is Resistant to Weather and to Tampering by Children and Pets.
Use Indoors and Outdoors.

GUARANTEE: Diphacinone 0.005%

Warning contains the allergens wheat, soy, and peanuts.

Contains potassium sorbate at 1.00% and sodium saccharin at 0.01% as preservatives

REG. NO. 30688 P.C.P. ACT

113g

WARNING



POISON

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001, Brantford, ON N3R 7W9
1-800-268-2806

**CAUTION : See outer packaging for DIRECTIONS FOR USE, FIRST AID
and additional PRECAUTIONARY STATEMENTS.**

Model No. RD1

OPTIONAL MARKETING STATEMENTS:

Kills rats	Weather resistant
Bait station	Can be used indoors and out
Rat bait station	Use indoors and out
Pre-filled	For use indoors and out
Pre-baited	Indoor and outdoor
Durable design is child and dog resistant	Feeding station
Pre-baited/prefilled	Station is child and dog resistant
See thru lid	Kid Tested
See thru lid for easy monitoring	Dog Tested
With diphacinone	Kid and Dog Resistant Station
Contains one bait station prefilled with 113 g bait block	Kid and Dog Tested
Rat killer	Kid and Dog Tested Station
Contains 113 g block bait	Kid and Dog Resistant
Pre-filled (pre-baited), ready to use bait station	Kid & Dog Tamper-Resistant
No need to touch the bait when placing station	Child resistant
Rat feeding station	Dog resistant
Disposable rat bait station	Child and dog resistant
113 g of bait pre-loaded into station	Station is child and dog resistant
113 g of bait pre-loaded into bait station	Child, dog and weather resistant
Norway and Roof Rat Killer	Clear lid
Ready to use	Clear lid for easy bait monitoring
Can be used horizontally or vertically	See-thru lid for easy bait monitoring
	Disposable

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.