

2023-1427
2024-01-11

This label has been updated according to the re-evaluation decision of Corn Gluten Meal RVD2023-02. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 01-16-2025 in accordance with the phase out period set out in the re-evaluation decision of Corn Gluten Meal RVD2023-02. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-1427
2024-01-11

**PLANT-PROD®
ULTIMATE™
GARDEN WEED PREVENTER
with CORN GLUTEN MEAL**

For inhibition of grass and broadleaf weed seed germination
in flower, vegetable, and fruit gardens

Granular
Herbicide

DOMESTIC

REG. NO. 30981 P.C.P. ACT

ACTIVE INGREDIENT: Corn Gluten Meal 100%
Warning, contains the allergen sulfites.

READ LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAUTION - EYE IRRITANT
POTENTIAL SENSITIZER

500 g to 2 kg

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.
1 avenue Premier, Rivière-du-Loup, QC G5R 6C1
1-800-268-2806

2023-1427
2024-01-11

Pre-emergent inhibition of Annual Blue Grass, Black Medic, Black Night Shade, Buckhorn Plantain, Catchweed Bedstraw, Common Lambsquarters, Creeping Bentgrass, Curly Dock, Dandelion, Giant Foxtail, Large Crabgrass, Orchard Grass, Purslane, Redroot Pigweed, White Clover, Smooth Crabgrass seed germination in flower, vegetable and fruit gardens.

DIRECTIONS FOR USE: Slide container lid cover to the 1st or 2nd notch opening. Apply this product evenly between rows or around established garden plants at a rate of 300g per m². Established weeds at time of application will not be inhibited. Do not apply the product directly on seeded areas as it may inhibit seeds from germinating. **For Best Results:** Remove emerged weeds since Plant-Prod[®] Ultimate[™] Garden Weed Preventer with Corn Gluten Meal only inhibits seed germination and does not kill existing weeds. Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, light watering is required. Light incorporation with a rake may improve results. Excessive moisture at time of treatment may reduce the effectiveness of the product. When seeding new gardens, plant seeds in rows and apply this product in between rows. Reapply every 4-6 weeks depending on the density (bare soil exposure) of the garden. Do not apply under windy conditions. The inhibitory effect of the product to weed seeds generally dissipates in five weeks following application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause sensitization. Avoid contact with eyes, skin or clothing. Avoid inhaling/breathing dusts. For good hygiene practice, wear a long-sleeved shirt, long pants, closed footwear, waterproof gloves, and a dust mask when handling and applying the product. Should not be applied if the applicator or a member of the household has a sensitivity or allergy to corn. Keep pets away from treated areas until the applied product is no longer visible.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep in cool, dry conditions away from food, feed, seed, fertilizer and pesticides.

DISPOSAL: DO NOT reuse empty container. Dispose empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

For additional product information, or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

2023-1427
2024-01-11

[OPTIONAL TEXT – Primary Panel]
Covers 6.6 m² (71 sq.ft.)
Product sold by weight
Content may settle