# Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor

For the inhibition of dandelion and smooth crabgrass seed germination in lawns where established Kentucky bluegrass is predominant.

GRANULAR DOMESTIC

# READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: corn gluten meal 98% Warning, contains the allergen soy.

REG. NO. 30047 P.C.P. ACT

CAUTION EYE IRRITANT POTENTIAL SENSITIZER

NET CONTENTS: 9-25 Kg

Les Marques Nuway C.P 149 St-Michel, QC J0L 2J0 Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor is formulated with corn gluten meal. Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor may inhibit dandelions and smooth crabgrass seed germination when used in conjunction with a sound lawn maintenance program. Established smooth crabgrass and dandelions at time of application will not be inhibited. Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor is formulated for use on established residential lawns where the predominant grass is Kentucky bluegrass.

# **Application Rate:**

SPRING APPLICATION: Apply to established Kentucky bluegrass turf in early spring before smooth crabgrass and dandelion seed germination. Apply at a rate of 9.7 kg/100 m2 (20lbs. /1000 sq.ft.).

LATE SUMMER/EARLY FALL APPLICATION: Apply to established Kentucky bluegrass turf in late summer or early fall after heat stress has passed. Apply at a rate of 9.7 kg/100 m<sup>2</sup> (20lbs. /1000 sq.ft.).

### **DIRECTIONS FOR USE:**

- 1. Measure the area to be applied by taking the length multiplied by the width of the total area in metres. One normal step is approximately one metre. Measure the size of any buildings or driveway in the same manner and subtract this amount from the total area. The remaining total will represent the grass area to be treated.
- 2. Apply Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor using a rotary spreader for large areas. For smaller areas, apply Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor using a small hand spreader. 3. Apply Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor in a criss-cross pattern. Use one half the rate in each direction. Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, irrigation is required. Excessive moisture at time of treatment may reduce the effectiveness of the product.

For best results: Apply to established Kentucky bluegrass turf twice a year; once in the early spring and once in the late summer/early fall.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. May cause sensitization. Green Generation Corn Gluten Herbicide Pre-emergent Weed Seed Germination Inhibitor should not be applied if a member of the household has a sensitivity or allergy to corn. Avoid contact with skin, eyes or clothing. Avoid inhaling dusts. For good hygiene practice, wear a long-sleeved shirt, long pants, closed footwear and gloves when handling the product. In addition, it is recommended that a dust mask be worn when transferring the product to the spreader. DO NOT apply the product on newly seeded grass as it may inhibit seeds from germinating, wait until after first mowing when root systems are established. DO NOT apply if allergic to corn. If over-seeding or re-sodding in the spring, DO NOT apply the

product in the spring. If over-seeding or re-sodding in the fall, DO NOT apply the product in the fall. Not recommended for use with a fertilizer containing nitrogen.

### FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Wash skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention

STORAGE: Keep in cool, dry conditions, away from seed, fertilizer and other pesticides.

DISPOSAL: Do not re-use the empty container. Wrap and dispose of empty container with household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.