[Upper Label (OPTIONAL) - English]

REFILL

[Container - Primary Panel - English]

[OPTIONAL MARKETING STATEMENT] [Rapid burndown formula]

REFILL FOR
ROUNDUP ADVANCED™
READY-TO-USE
WITH WAND APPLICATOR

FAST ACTING
GRASS & WEED CONTROL
SOLUTION

For non-selective control of broadleaf and grassy weeds in and around the garden

DOMESTIC

ACTIVE INGREDIENT:
Acetic Acid ... 62.5 g/L

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

REG. NO.: 31064 P.C.P. ACT

WARNING



CORROSIVE EYE IRRITANT

1 L to 6 L

Bayer CropScience Inc.
Suite 200, 160 Quarry Park Blvd. SE
Calgary, AB
T2C 3G3
1-866-476-7645
Made and printed in U.S.A.

[Container - Secondary Panel - English]

Peel back for instructions
Press to reseal

REFILL FOR ROUNDUP ADVANCED™ READY-TO-USE WITH WAND APPLICATOR

Acetic Acid

GRASS & WEED CONTROL

FAST ACTING

For non-selective control of broadleaf and grassy weeds in and around the garden

DIRECTIONS FOR USE

Use this product as a refill for empty containers of Roundup® Advanced Ready-to-Use with Wand Applicator, PCP# 30542. DO NOT add water.

Use the applicator from the empty bottle to connect to this refill:

- 1. [Flip up spout on refill bottle./Flip up spout until fully upright./Twist [spout/knob] to "ON"./Pull spout up.] [Ensure that spout is fully engaged in the upright position.]
- 2. Insert hose connector from applicator handle into [spout/knob/opening] on cap until it "clicks" in place.
- 3. Adjust spray nozzle to desired spray pattern.
- 4. Aim sprayer nozzle at centre of weed and spray.
- 5. Storage: After use, [close spout on cap./flip spout down to the "flat" position to close./twist [spout/knob] to "OFF"./push spout down.] No need to disconnect applicator. Close nozzle on applicator.

For best results apply in sunny warm weather to actively growing young weeds less than 10 cm tall.

Weeds that are mature, dormant or hardened due to moisture stress tend to be more tolerant to herbicide treatments. Retreatment of large weeds and regrowth of perennial weeds will be required. Only contacted vegetation will be affected. Rainfall or watering within 1 hour of application will reduce degree of control. Do not re-enter or allow entry into the treated area until dry.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. Wash immediately after use. Avoid all contact to desirable plants. Overspray or drift will injure contacted foliage. Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces.

FIRST AID

In case of eye contact, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Store this product in its original container in a secure area away from children and pets. Do not put into food or drink containers. Store in a cool, dry place, preferably in a locked storage area. To prevent contamination store this product away from food or feed. Protect container from freezing.

DISPOSAL:

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

READY TO USE

Fast acting formula for non-selective spot treatment of individual weeds. Visible effects occur after treatment, and actively growing susceptible weeds are controlled within 1-2 days. Leaves no harmful residue in the soil.

This product is recommended for control of undesirable plants in and around the garden, on patios, sidewalks, driveways, under fences and around established trees and shrubs. Use to edge along driveways, sidewalks and to control weeds in gravel and mulch.

Use of this product results in rapid burndown and control of the following annual weeds: common ragweed, chickweed, black medic and lamb's-quarters and topgrowth control of the following perennial weeds: dandelion, plantain (broadleaved and narrowleaved), wild carrot and quackgrass.

Questions, Comments or Medical Information: Call 1-866-476-7645 or visit our Website at www.roundupcanada.ca

[IMAGE OF TELEPHONE]

[ICON OF QUESTION MARK]

Roundup is a registered trademark of Bayer Group. Used under license ©2020 Bayer Group. All rights reserved.