[UPPER LABEL (OPTIONAL) - ENGLISH]

REFILL

[CONTAINER - PRIMARY PANEL (ENGLISH)]

REFILL FOR SCOTTS® WEED B GON® MAX READY-TO-USE WEED CONTROL WITH WAND APPLICATOR

SOLUTION DOMESTIC

SELECTIVE HERBICIDE

ACTIVE INGREDIENT: Iron (present as FeHEDTA) 0.25%

Contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0007571% and 2-methyl-4-isothiazolin-3-one at 0.0002479%, as preservatives.

REG. NO.: 31216 P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN
POTENTIAL SKIN SENSITIZER
PROTECT FROM FREEZING

1 L - 6 L

Scotts Canada Ltd. 2000 Argentia Road Plaza #2, Suite 300 Mississauga, Ontario L5N 1V8 1-800-668-5669

Made and printed in the U.S.A.

Peel back for instructions
Press to reseal

REFILL FOR SCOTTS® WEED B GON® MAX READY-TO-USE WEED CONTROL WITH WAND APPLICATOR

For use on lawn turf consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewings fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

PESTS/SITES:

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle (<15 cm tall), Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Broad-leaved plantain (suppression only), Dove's foot geranium, wild geranium, Lawn burweed, Moss, and Algae.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING. Use this product as a refill for empty containers of Scott® Weed B Gon® Max Ready-to-Use Weed Control with Wand Applicator, PCP# 30913. DO NOT add water.

Use the applicator from the empty bottle to connect to this refill:

- [Flip up spout on refill bottle./Flip up spout until fully upright./Twist [spout/knob] to "ON"./Pull spout up.] [Ensure that spout is fully engaged in the upright position.]
- 2. Insert hose connector from applicator handle into [spout/knob/opening] on cap until it "clicks" in place.
- 3. Adjust spray nozzle to desired spray pattern.
- 4. Aim sprayer nozzle at centre of weed and spray.
- 5. Storage: After use, [close spout on cap./flip spout down to the "flat" position to close./twist [spout/knob] to "OFF"./push spout down.] No need to disconnect [applicator/sprayer hose] [from cap]. Close nozzle on applicator.

Spray weeds until foliage is thoroughly wetted, just to the point of run-off ($200-400~\text{mL/m}^2$). Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per area per year. Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to several weeks. May stain

thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions: Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS:

CAUTION: KEEP OUT OF REACH OF CHILDREN. Causes slight eye irritation. Avoid contact with skin or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco.

DO NOT get in eyes. Avoid hand-to-mouth contact. Avoid breathing spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

DISPOSAL:

Do not reuse or refill empty container with any other product. Wrap and dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

Questions, Comments or Medical Information: Call 1-800-668-5669 or visit our Web Site at www.scotts.ca [IMAGE OF TELEPHONE] [ICON OF QUESTION MARK]

- ® used under license by Scotts Canada Ltd.
- ™ used under license by Scotts Canada Ltd.
- © 2019 Scotts Canada Ltd. World rights reserved.



Manufactured under a license of W. Neudorff GmbH KG

Patent Pending

[OPTIONAL STATEMENTS]

SELECTIVE BROADLEAF HERBICIDE

Made with iron

People and pets can enter treated area when spray dries.

No unpleasant odor.

Rainfast in 3 hours

See result within hours

KILLS WEEDS, NOT LAWNS