KNOCK DOWN GRO-IT PLANTS & FLOWERS INSECT KILLER

(0.02% Pyrethrins from Chrysanthemum Flower Pyrethrum)

INSECTICIDE

ACARICIDE

SOLUTION

For use on indoor ornamental houseplants and greenhouse ornamental plants to kill Whiteflies, Spider mites, Aphids **DO NOT** use in commercial greenhouses. **DO NOT** apply to plants grown for food or feed (e.g., fruits, vegetables, herbs)

DOMESTIC INDOOR

ACTIVE INGREDIENTS:

Pyrethrins 0.02%
Piperonyl Butoxide, Technical 0.20%
Contains Sodium Benzoate at 0.20% as a preservative or
Contains 1,2-benzisothiazolin-3-one at 0.0386% as a preservative

REG. NO.: 31413 P.C.P. ACT

Net Contents:____L

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USING

CAUTION

POISON

KUUS INC (Value added Family products)TM UNIT 5&6, 450 Tapscott Road Toronto, ON M1B 1Y41-800-267-0455

www.knockdownbugs.com

www.mosquitoshield.com

Proudly Canadian Manufacturers of Mosquito ShieldTM Insect Repellants & Knock DownTM Insecticides and Pest Control Products

OPTIONAL STATEMENTS

Ready to Use Shake Well – Water-based Quiet spray & non-chilling spray Non-flammable Liquid pump spray

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If on skin or clothing: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically. Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. When spraying indoors cover fish bowls and remove pets for one hour. Remove or cover all exposed foods and cooking utensils before spraying. **DO NOT** use on Maiden Hair Ferns. Toxic to birds. Toxic to aquatic organisms. **DO NOT** apply using handheld or stationary fogging or misting equipment. **DO NOT** apply as a space spray. Space spray: Space application is a suspension of fine droplets (0.1 to 100μm) in the air.

DIRECTIONS FOR USE

- SHAKE WELL BEFORE USING.
- Apply with the hand trigger sprayer attached. Depress button on top and adjust nozzle to suitable spray pattern.

FOR USE ON INDOOR ORNAMENTAL HOUSEPLANTS AND GREENHOUSE ORNAMENTAL PLANTS

To kill Whiteflies, Spider mites, Aphids **on** African violet, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Crassula, Dahlia, Delphiniums, Dogwood, English ivy, Euonymus, Fuschia, Geraniums, Gladioli, Kentia palm, Laurel, Marigold, Rhododendron, Rose, Rubber plant, Snapdragon, Stock, Wandering Jew and Zinnia: **DO NOT** apply to plants grown for food or feed (e.g., fruits, vegetables, herbs). **DO NOT** use in commercial greenhouses. When listed pests first appear, spray to thoroughly cover all foliage,

2024-5266, 2024-11-16

including upper and lower leaf surfaces until damp. **DO NOT** wet plants to the point of runoff or drip. When spraying, hold container 30-45 cm from plants to avoid wetting the foliage. To enhance effectiveness of this product, apply directly to the listed pests where possible. **DO NOT** exceed 160 mL per m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety. **DO NOT** spray in direct sunlight. Spraying in early morning or in the evening is preferred. Spray when air is still and temperature is below 32°C.

STORAGE

Store this product away from food or feed.

DISPOSAL

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.