

2013-5598 2013-6176
2013-12-20 2013-11-20

Eco-Guard Professional Plant Spray

INDOOR/OUTDOOR

USE ON HOME VEGETABLE GARDENS, FRUIT TREES, ORNAMENTALS &
FLOWERS

KILLS: LEAFMINERS, EXPOSED THRIPS, WHITEFLIES, APHIDS and other pests
listed on the label. Kills on contact or by stomach ingestion.

WILL NOT STAIN water-safe fabrics.

Effective on over 60 varieties of ornamentals*.

Controls many ornamental, vegetable, fruit and flower pests

*When used according to label instructions

NON FLAMMABLE

WATER-BASED logo

DOMESTIC

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: PERMETHRIN 0.025%

REG. NO. 31227 P.C.P. ACT

Net Contents: ml

UR-CAN INC.

3345 North Service Road, Unit 102

Burlington, ON

L7N 3G2

289-426-1363

NOTE: Do not allow contact with treated surfaces until spray has dried. Wash
thoroughly after handling and before eating or smoking. Do not allow spray to contact
water supplies.

DIRECTIONS FOR USE: SHAKE WELL BEFORE USE. Container can spray in any position, even upside down.

INDOOR HOUSEPLANTS, FLOWERS & ORNAMENTALS: Use sufficient spray to obtain full coverage of all plant foliage.

Controls aphids and whiteflies on most plants. Remove infested plants from living areas prior to application. Spray plants in an area not likely to be occupied by children or pets (particularly fish). When leaves dry, plants can be returned to original location. Use with care on ferns, palms, and fuchsia. With all plants and especially carnations, chrysanthemums and roses, there exists a wide variety of species and cultivars and, therefore, a wide variety of susceptibility to injury. To check for plant injury from Fight Back Insecticide VB-5, spray a few leaves as described above, wait 24 hours and check for possible injury.

OUTDOOR ROSES, FLOWERS & ORNAMENTALS: Spray upper and lower leaf surfaces. Use sufficient spray to obtain full coverage of all foliage, but do not spray to the point of runoff. Adjust the amount of spray volume used to plant size. Do not spray plants when temperatures exceed 32° C. Contact insects directly whenever possible. Repeat treatment as needed.

Controls: aphids, fall webworms and whiteflies on ornamental plants.

ORNAMENTAL TREES AROUND THE HOME: Use sufficient spray to obtain full coverage of all foliage. Avoid heavy wetting.

Controls: aphids, douglas-fir tussock moth, white marked tussock moth, spruce budworm, yellow headed spruce sawfly, coneworm and open feeding sawfly, gypsy moth, eastern tent caterpillar, forest tent caterpillar, fall webworm, euonymus webworm.

HOME VEGETABLE GARDENS: Spray upper and lower leaf surfaces. Use sufficient spray to obtain full coverage of all foliage, but do not spray to the point of runoff. Apply no more than 415 mL over 10 sq. Metres.

Spray plants as needed to ensure uniform coverage. The number in parentheses (7) following each crop grouping is the pre-harvest interval, i.e., the number of days that must be observed between application and harvest. Cole crops (Broccoli (14), Brussels Sprouts, Cabbage, Cauliflower) (6): To control imported cabbage worm, cabbage looper, diamond back moth larvae, crucifer flea beetle. Apply every 5 days or as needed. Do not make more than 4 applications per season on cauliflower, Brussels sprouts and broccoli, or more than 5 applications on cabbage.

Corn - see sweet corn.

Potatoes, Tomatoes (2): To control (kill) Colorado potato beetle, variegated (climbing) cutworm, potato flea beetle, potato leafhopper, tarnished plant bug and white fly. Do not make more than 6 applications per season. Sweet Corn (2): to control (kill) corn earworm, European corn borer, corn sap beetles. Spray every 5 days and when needed. Do not make more than 3 applications per season.

HOMEOWNER GROWN FRUIT TREES: Spray trees until foliage is dripping wet.

Make sure to spray the undersides of leaves and into dense foliage. Apply when insects appear. The number in parentheses (7) following each tree is the pre-harvest interval, i.e., the number of days that must be observed between application and harvest.

Apples (7): To control (kill) winter moth, eastern tent caterpillar, eye-spotted budmoth, plum curculio, green fruitworm, oblique-banded leafroller, red banded leafroller, spotted tentiform leafminer, tarnished plant bug. Repeat as required to maintain control.

Do not make more than 3 applications per season. Do not apply after petal fall.

Peaches (7): To control (kill) oriental fruit moth, plum curculio, tarnished plant bug. Do not make more than 4 applications per season.

Pears (7): to control (kill) codling moth, green fruitworm, pear psylla (nymphs and adults). Do not apply more than 3 applications per season.

Grapes (21): To control grape berry moth, grape leaf hopper.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat or store at temperatures over 50C. Keep children and pets

away from treated areas, at least until spray has dried. Do not use as a space spray.

Avoid contamination of food, feed, cooking utensils or drinking water. Wash thoroughly before eating, drinking and smoking. Remove fish bowls and aquariums from the treated area. Wash all food crops thoroughly after harvesting and before eating.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate lakes, ponds, streams and domestic or irrigation water supplies. This product is very toxic to bees; avoid spraying when bees are foraging. Spray deposit should be dry before bees commence foraging in treated crops.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If Inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep product in original container. Store in a cool, dry place away from food. Do not freeze.

DISPOSAL: When container is empty, press valve to release pressure. Do not puncture or incinerate. Wrap empty container and dispose in household garbage.

(MARKETING STATEMENTS)

REVOLUTIONARY NEW EcoCan USES THE POWER OF AIR

The EcoCan delivers a quiet spray without using CFCs or hydrocarbon propellants.

SPRAYS IN ANY DIRECTION, EVEN UPSIDE DOWN

Unlike products that utilise the EcoCan, normal aerosol products require that a percentage of propellant be included, the purpose of which is to expel the contents out of the can.

The EcoCan uses air pressure instead of propellant.

The EcoCan has a quiet spray and there is no danger to plant leaves due to evaporation chill.

EcoCan - THE NEXT GENERATION IN SPRAY TECHNOLOGY

The EcoCan sprays Fight Back Insecticide VB-5 as a clear water-based solution that is non foamy and non greasy.

Eco Cans do not contain propellant.

Eco Cans do not need or use hydrocarbon propellant.

Eco Cans use newer technology.

Propellants no longer needed if you use the Eco Can.