POOL SOLUTIONS 40% PREVENTATIVE ALGAECIDE

Controls algae in swimming pool waters

GUARANTEE: n-Alkyl (40% C12, 50% C14, 10% C16), Dimethyl Benzyl Ammonium Chloride...40%

DOMESTIC

REG N° 30621 P.C.P. ACT

DANGER POISON / CORROSIVE

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

NET CONTENTS: 1 L

RBF INTERNATIONAL LTÉE / LTD 780, RUE NOBEL ST-JÉRÔME (QUÉBEC) CANADA J7Z 7A3 1-800-433-0590

DIRECTIONS FOR USE:

DO NOT apply when swimmers are in the immediate vicinity (a 1 5-minute restricted-entry interval is recommended).

- 1. Initial dosage for pool wate r having no visible algae is 50 mL of **Pool Solutions 40% Preventative Algaecide** per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 25 mL of **Pool Solutions 40% Preventative Algaecide** per 10,000 L of pool water.
- 3. For pool water havi ng visible algae, sup erchlorinate following label instructions of superchlorination product employed and wait for at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination product is n ot employed, add 125 mL of **Pool Solutions 40% Preventative Algaecide** per 10,000 L of pool water.

PRECAUTIONS

KEEP OUT OF REACH OF CHIL DREN. Wear rubber gloves when handling this concentrate. Harmful if swallowed. Do not mi x with any other chemical. Corrosive to eyes. Do not get in eyes, on skin or on clothing. Wear goggles and gloves when handling. Avoid contamination of food.

DISPOSAL

Rinse container thoroughly before discarding. Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on the disposal of unused, unwanted product, contact the manufacturer or the provin cial regulatory agency. Contact the manufacturer or the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 mi nutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

In case of contact with skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control cent re or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.