

2014-1141
2014-04-09

DOKTOR DOOM 30 DAY MOSQUITO LARVAE CONTROL

GRANULES

An Insect Growth Regulator to Prevent Adult Mosquito Emergence

DOMESTIC

GUARANTEE: (S)-Methoprene [Isopropyl (2E, 4E, 7S)-1-methoxy-3, 7, 11-trimethyl-2, 4-dodecadienoate] 1.5%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

CAUTION EYE IRRITANT
REG. NO. 29300 P.C.P. ACT
Net Contents: 500 g

753146 AB Ltd. o/a UltraSol Industries*
10755-69 Avenue
Edmonton AB Canada
T6H 2C9
(780) 432-6535

*100% Canadian Owned and Operated

INTRODUCTION: DOKTOR DOOM 30 DAY MOSQUITO LARVAE CONTROL Granules are for application in standing water where mosquito larvae (wigglers) develop (see Directions for Use). This product is effective against mosquitoes, including *Culex* and *Culiseta* species, in standing water. After the application of this product, mosquito larvae may continue to develop to the pupal stage, but will not emerge as adults. (S)-methoprene has no effect on mosquitoes which have reached the pupal or adult stage prior to treatment. (S)-methoprene is gradually released from granules over time and should last for about 21 days in aquatic sites with minimal water flow.

DIRECTIONS FOR USE

DOKTOR DOOM 30 DAY MOSQUITO LARVAE CONTROL Granules are for use only when mosquito larvae are present in:

- standing water wholly confined to the property of the user where there is no existing outflow beyond the property limits that remains for more than a week and cannot be drained (for example, flooded depressions, ponds)
 - containerized water (for example, bird baths, flower planters, discarded tires, ornamental ponds, and rain barrels) that cannot be emptied, drained, flushed or changed at least weekly
- DO NOT apply this product to any water that is designed to flow beyond your property limits (for example, ditches, drains, rain gutters or catch basin sumps that flow into weeping tile beds or municipal storm drain systems). BEFORE APPLYING THIS PRODUCT to a water body where there is a possibility of outflow beyond your property limits, contact your provincial/territorial regulatory authority as a permit may be required.

To help prevent mosquito infestations on your property, get rid of mosquito breeding sites. Do this by emptying, flushing or draining containerized and standing water, wherever practical, at least weekly or more frequently if mosquito larvae are present. For example, remove leaf litter from rain gutters, drill holes in bottoms of tire swings or discarded tires, empty water collected on pool

covers, turn over wheel barrows and other containers, empty trapped water from recycling bins or trash containers, cover rain barrels with fly screen netting, replace water in bird baths and chlorinate swimming pools.

TIMING OF APPLICATION: Begin treating when mosquito larvae are first noted in the spring. To detect the presence of mosquito larvae, look closely for larvae moving in an “S” pattern at the water surface. Re-apply every 21 days, as long as mosquito larvae are present. After the application of this product, mosquito larvae may continue to develop to the pupal stage, but will not emerge as adults.

APPLICATION RATE: Measure the surface area of the water to be treated, and sprinkle the required amount of DOKTOR DOOM 30 DAY MOSQUITO LARVAE CONTROL Granules evenly over the water surface.

Shallow water: For areas with water less than 60 cm (2 feet) deep, apply at a rate of 5 mL of granules (equivalent to one level teaspoon) per 6 m² (64 square feet) of water surface. **Deep water:** For areas with water more than 60 cm deep, double the amount of granules per surface area stated above. Refer to tables below for examples of amount of granules required to treat various surface areas. For small containers/areas (e.g., rain barrels), apply at a rate of 2 granules per 5 litres of water. Do not use food utensils (such as tablespoons) or measuring cups/spoons for food purposes after contact with this product.

APPLICATION RATE IN SHALLOW WATER (less than 60 cm depth):

Water surface area to be treated	Amount of granules
3 m ² (32 sq. ft.)	2.5 mL (1/2 teaspoon)
6 m ² (64 sq. ft.)	5 mL (1 teaspoon)
12 m ² (130 sq. ft.)	10 mL (2 teaspoons)
20 m ² (215 sq. ft.)	15 mL (3 teaspoons or 1 tablespoon)
75 m ² (800 sq. ft.)	60 mL (4 tablespoons)
300 m ² (3200 sq. ft.)	250 mL (1 cup)

APPLICATION RATE IN DEEP WATER (more than 60 cm depth):

Water surface area to be treated	Amount of granules
3 m ² (32 sq. ft.)	5 mL (1 teaspoon)
6 m ² (64 sq. ft.)	10 mL (2 teaspoons)
12 m ² (130 sq. ft.)	20 mL (4 teaspoons)
20 m ² (215 sq. ft.)	30 mL (2 tablespoons)
75 m ² (800 sq. ft.)	120 mL (1/2 cup)
300 m ² (3200 sq. ft.)	500 mL (2 cups)

PRECAUTIONS: Avoid breathing dust. Causes moderate eye irritation. Harmful if absorbed through the skin. Wear rubber gloves when handling the product. Due to the size and abrasiveness of the granule, use protective eyewear and long sleeved shirt and pants when handling the product. Wash thoroughly with soap and water after handling.

Do not use in water which may be used for human or livestock drinking purposes.

Do not apply to water that is not confined to the property being treated. Only enclosed/standing pools of water may be treated.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If ingested, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you, when seeking medical attention.

STORAGE: Store in a cool, dry place. Do not contaminate water, food or feed by storage or disposal. Do not re-use empty container.

ENVIRONMENTAL HAZARDS: Do not apply to waters that drain into public waterways.

DISPOSAL: When container is empty, rinse and pour contents into treated area. Dispose of container in household garbage or recycle in municipal blue box program.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.