

2013-04-15

2013-0654

CARTON

WILSON[®]
PREDATOR[™]
Mouse Bait Station
PRE-FILLED

SOLID
RODENTICIDE

This bait station is resistant to tampering by children.
For use indoors only.

DOMESTIC

REG. NO. 30887 P.C.P. ACT

GUARANTEE: Diphacinone 0.005%

Warning, contains the allergens wheat, soy.

Contains malathion at 0.009% and calcium propionate at 0.378% as preservatives.

READ THE LABEL BEFORE USING

(see back panel for additional precautionary statements)

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION

*1 disposable bait station containing 1 x 28 g bait block
up to
16 disposable bait stations containing 16 x 28 g bait blocks*

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

DIRECTIONS FOR USE: Use bait to control House mouse (*Mus musculus*) indoors.

USE LIMITATIONS: This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated on this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS, DOMESTIC ANIMALS, OR NON-TARGET WILDLIFE.** DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

SELECTION OF TREATMENT AREAS: Determine areas where mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed.

APPLICATION DIRECTIONS: Use 1 bait station per placement. Place the bait station at highest point of activity beside burrows, along a wall or in corners where mice or their signs have been seen. If additional units are to be used, place bait stations at 2.5 to 3.5 metre intervals. Two bait stations may be needed at points of high mouse activity. Maintain an uninterrupted supply of fresh bait for 15 days or until signs of mouse activity cease.

Collect and dispose of bait stations with unconsumed bait and dead exposed animals according to local requirements and/or the disposal instructions found on this label. To prevent reinfestation, eliminate food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

PRECAUTIONS: KEEP AWAY FROM CHILDREN, PETS AND LIVESTOCK. Bait station contents may be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when collecting and disposing of emptied bait stations, unconsumed bait and dead rodents. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or Poison Control Centre. **If a pet or livestock poisoning is suspected,** immediately contact a veterinarian. Take container, label or roduct name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

DISPOSAL: Do not reuse empty container. Wrap unwanted or damaged bait station and discard in household garbage. DO NOT use damaged bait stations.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

STORAGE: Store in cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

BAIT STATION

Wilson[®]
Predator[™]
Mouse Bait Station
PREFILLED

This Bait Station is Resistant to Tampering by Children.
For Use Indoors Only.

REG. NO. 30887 P.C.P. ACT

GUARANTEE: Diphacinone 0.005%
Warning, contains the allergens wheat and soy
Contains malathion at 0.009% and calcium propionate at 0.378% as preservatives

DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT STATION.

WARNING



POISON

1 x 28g bait block

Sure-Gro IP Inc./
Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

CAUTION: See outer packaging for DIRECTIONS FOR USE, FIRST AID and additional
PRECAUTIONARY STATEMENTS.

MODEL NO. MD2

OPTIONAL MARKETING STATEMENTS:

With diphacinone
House mouse killer
Kills house mice
House mouse bait station
Pre-filled
Pre-baited
Pre-filled, 28 g block bait
Pre-baited/prefilled
Contains one bait station prefilled with 28 g bait block
Contains 28 g block bait
Pre-filled (pre-baited), ready to use bait station

OPTIONAL MARKETING STATEMENTS (CONT'D.):

Contains 28 g of bait per placement
Feeding station
House Mouse feeding station
Made in USA
Disposable bait station
Ready to Use
Use indoors
Disposable
For use indoors
Can be used horizontally or vertically
Clear lid
Clear lid for easy bait monitoring
See thru lid
See-thru lid for easy bait monitoring
No need to touch the bait when placing station
House mouse bait in a child tamper-resistant feeding station
House mouse killer in a child tamper-resistant feeding station
Durable design is child resistant
Station is child resistant
Child tamper-resistant
Child resistant
Kid tested
Kid Tested Station
Kid Resistant
Kid Tamper-Resistant

OPTIONAL GRAPHICS:

[(IMAGE) KID RESISTANT BAIT STATION]
[(IMAGE) KID RESISTANT BAIT STATION]
[(IMAGE) BAIT PRELOADED INSIDE STATION]

[(IMAGE) BAIT PRELOADED INSIDE NON-REFILLABLE STATION]
[(IMAGE) NON-REFILLABLE STATION – BAIT PRELOADED INSIDE)

[CAN BE USED IN A VARIETY OF LOCATIONS

(IMAGE) BEHIND APPLIANCES

(IMAGE) INSIDE CABINETS

(IMAGE) GARAGES

(IMAGE) BASEMENTS

(IMAGE) ATTICS – Must adhere to the USE RESTRICTIONS in the DIRECTIONS FOR USE section of this label]

[CAN BE USED HORIZONTALLY OR VERTICALLY

(IMAGE) HORIZONTAL

(IMAGE) VERTICAL]

OPTIONAL GRAPHICS (CONT'D):

[SEE-THRU LID FOR EASY BAIT MONITORING (IMAGE)]

[DISPOSABLE (IMAGE)]