

PACER

Liquid Spray Adjuvant

COMMERCIAL

Non-ionic Surfactant for use with: Roundup®, Muster®, Ally®, Ultim™,
Pinnacle® and Elim™

READ THE LABEL BEFORE USING AGRICULTURAL PESTICIDES

GUARANTEE: Nonylphenoxy polyethoxyethanol 92%

REGISTRATION NO. 28283 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1, 5, 10, 20, 110, 1000 LITRES, Bulk

Norac Concepts Inc.
P.O. Box 31097
Guelph, Ontario
N1H 8K1
1-519-821-3633

TOXICOLOGICAL INFORMATION: Treat symptomatically.

GENERAL INFORMATION

PACER is a surfactant for use with RoundUp®, Muster®, Ultim®, Pinnacle®, Elim® and Ally® in situations where a non-ionic surfactant is called for (minimum or zero tillage systems surfactant additive etc.). Follow label directions for each respective herbicide when using in combination with PACER.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Do not store or place near open flames or sources of heat. Do not apply more surfactant than is recommended or excessive run-off may occur. Avoid contact with eyes. Remove contaminated clothing and laundry before reuse.

FIRST AID

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- (1) Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- (2) Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

With Roundup®:

Add 350 mL of PACER per hectare to the spray solution. The spray volume should not be greater than 100 litres of clear water per hectare.

With Muster® and Muster Toss N Go:

For maximum weed killing effect, after the addition of Muster to water in the tank, add 200 mL of PACER for each 100 litres of spray solution (0.2% total spray volume). An anti-foaming agent may be needed to reduce foaming.

With Ally®:

For maximum weed killing effect, after the addition of Ally to water in the tank, add 200 mL of PACER for each 100 litres of spray solution (0.2% total spray volume). An anti-foaming agent may be needed to reduce foaming.

With Ultim™:

For maximum weed killing effect, after the addition of Ultim to water in the tank, add 200 mL of PACER for each 100 litres of spray solution (0.2% total spray volume). An anti-foaming agent may be needed to reduce foaming.

With Pinnacle®:

For maximum weed killing effect, after the addition of Pinnacle to water in the tank, add 100 mL of PACER for each 100 litres of spray solution (0.1% total spray volume). An anti-foaming agent may be needed to reduce foaming.

With Elim™ EP:

For maximum weed killing effect, after the addition of Elim EP to water in the tank, add 200 mL of PACER for each 100 litres of spray solution (0.2% total spray volume). An anti-foaming agent may be needed to reduce foaming.

* Roundup® is the registered trademark of Monsanto Company.

Ally®, Elim™, Muster®, Pinnacle® and Ultim™ are registered trademarks of E.I. du Pont Canada Company.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.