

**Front Panel**

**Hartz® UltraGuard Pro® Flea and Tick Drops for  
Dogs and Puppies Weighing over 14KG (30lbs)**

INSECTICIDE  
SOLUTION

Kills and Prevents:

Fleas

Ticks

Flea Eggs for 30 days

ACTIVE INGREDIENTS:

Permethrin .....45%

(S) – Methoprene.....2.9%

DOMESTIC

READ ENTIRE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

FOR USE ONLY ON DOGS

DO NOT USE ON CATS



Toxic to cats

REG. NO.: 29282 PCP ACT

3 Pro-Cision Flo™ Applicators

Direct to Your Dog's Skin

Net Contents: 3 Tubes x 2 ml each

Hartz Canada Inc.  
1-800-275-1414

## **Back Panel/ Blister Card**

Kills Fleas and Ticks for 21 days and prevents Flea Eggs for 1 month.

**DIRECTIONS FOR USE:** This product contains permethrin and (S)-methoprene. Do not apply another pest control product such as a shampoo, collar, or powder that contains permethrin or (S)-methoprene to the treated animal after applying Hartz® UltraGuard Pro® Flea and Tick Drops for Dogs and Puppies Weighing over 14KG (30lbs).

This product is packaged in single dosage tubes. This package contains three monthly 2 mL dosages. **DO NOT USE ON CATS OR OTHER ANIMALS.**

1. Remove one applicator tube from the package and hold in an upright position pointed away from your face
2. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.
3. Position the tip of the tube on the dog's back between the shoulder blades and squeeze out half the contents of the tube.
4. Invert the applicator tube upright and go to the dog's tail. Position the tip of the tube at the base of the tail and apply the remaining contents of the tube to the top of the dog's rump near the base of the dog's tail.
5. Repeat every month if flea or tick problems persist.

Do not use this product more often than once every 3 weeks. Reapply every month for continual pest control in situations where there is an ongoing risk of pest infestation. Do not use on animals under 12 weeks of age. Do NOT administer by mouth. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Discontinue use if adverse effects are observed. If condition persists, consult your veterinarian. **RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.**

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

### **PRECAUTIONS:**

**HUMANS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye irritation. Avoid contact with mouth, eyes and clothing. Use rubber gloves when applying product. Avoid contact with pet until dry. After handling or applying, wash hands (or any other skin that came into contact with the product) with soap and

water. **PETS:** Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of harm, including death. Avoid contact with the dog's mouth, face, eyes and genitals. Sensitivities may occur after using ANY pesticides for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. Harmful if swallowed. Do not use near fish.

**Side Effects:** Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching, changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur, consult your veterinarian or Hartz Canada, Inc. at 1-800-275-1414.

### **FIRST AID**

**HUMANS: IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**PETS:** Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

Take container, label, or product name and PCP Registration Number with you when seeking medical or veterinary attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. No specific antidote.

**STORAGE AND DISPOSAL:** Store in a cool, dry place away from food and out of the reach of children. Do not reuse empty container. Wrap and dispose of empty container with household garbage.

For more information call our experts at 1-800-275-1414  
Visit/ [www.hartz.com](http://www.hartz.com)

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Made in the USA for Hartz Canada, Inc. 1125 Talbot Street. St. Thomas, Ontario N5P 3W7

RMXXXXXX

**TUBE COPY**

Hartz® UltraGuard Pro® Flea and Tick Drops  
for Dogs and Puppies Weighing over 14KG (30lbs)

**DO NOT USE ON CATS**

**DOMESTIC**

Permethrin.....45% (S)-  
Methoprene.....2.9%

REG. NO.: 29282 PCP ACT Net

Contents: 2 ml

Hartz Canada, Inc.

RM XXXXXX

READ THE LABEL BEFORE USING