VETO SPRAY-S

INSECTICIDE PRESSURIZED SPACE AND CONTACT SPRAY

DOMESTIC

GUARANTEE: d-trans Allethrin 0.25% Piperonyl Butoxide 1.00%

> KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

REGISTRATION NUMBER 30053 PEST CONTROL PRODUCTS ACT



EXPLOSIVE

NET CONTENTS 595 g (905 mL)

Vétoquinol N.-A. Inc. 2000,ch.Georges, Lavaltrie, QC, Canada J5T 3S5 1-800-363-1700



DIRECTIONS FOR USE: SHAKE WELL BEF ORE USING. Hold container upright while spraying.

TO KILL HOUSE PESTS: Flying Insects - Flies, mosquitoes, wasps, gnats and flying moths. Close doors and windows. Direct mist upwards, in a sweeping motion, to all parts of the room , especially windows and other light sources. Apply 6 to 10 se cond bursts per 30 cubic metres of space. Whenever possible keep doors and windows closed for 25 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1 metre from inte rior walls, fabrics and furniture. Ventilate room well after treatment.

Crawling Insects - Cockroaches, spiders, crickets, ants, carpet beetles, centipedes and silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames or in ant nests. Insects must be hit to be killed.

Bed Bugs - Spray mattresses, particularly around seams and tufts. Take bed apart, spray all joints. Repeat as required.

Fleas -Spray sleeping quarters of pets. Change bedding if necessary. Do not use on pets.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Do not puncture or incinerate. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat, or store at temperatures over 50°C. Cover fish bowls and remove pets for one hour when spraying rooms. In homes or dwellings, remove or cover all exposed cooking utensils before spraying. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash after using. Keep from freezing. Do not use on Maiden Hair Ferns. Do not use on vegetable or fruit crops.

FIRST AID: If swallowed: Call a poison control centre or do ctor immediately for treat ment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anythin g by mouth to an uncon scious person. If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains pet roleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure, then dispose in household garbage. Do not puncture or incinerate.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.