

2023-3303
2024-04-09

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-3303
2024-04-09

K-G HORNET & WASP FOAM INSECTICIDE SPRAY III – AF 2014

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY FOAM

For outdoor use to control wasps, hornets and yellow jackets in their nests.

DOMESTIC

CAUTION



EXPLOSIVE

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
N-Octyl Bicycloheptene Dicarboximide	0.250%
Permethrin	0.200%

REG. NO. 31388 P.C.P. ACT

NET CONTENTS: 100-600g

**PLZ CORP.
8001 Keele Street
Vaughan, Ontario
L4K 1Y8
905-669-9855**

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID:

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES, hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice.

DO NOT induce vomiting unless told to do so by a poison control centre or doctor. **DO NOT** give any liquid to the person. **DO NOT** give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not inhale spray mist. Wash thoroughly with soap and warm water after using. Cover ornamental fish ponds before spraying. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not store or use above 50°C as container may burst. Avoid freezing. Do not puncture or incinerate container. Do not use this product in or on electrical equipment due to possibility of shock hazard.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to bees. This product is intended for use on yellow jackets, hornets and wasps only. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USE. Remove protective cap and insert (applicator wand/extension tube/wand/applicator) into spray nozzle before using. Wait approx. 30 seconds before spraying to allow formula to settle for optimal stream

The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Always pre-test a small inconspicuous area to be treated, for colour fastness and staining. Evaluate 30 minutes after test application for potential staining. Regardless of test results, **DO NOT** apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day. **DO NOT** apply to tapestries, wall paper or similar materials that may be stained.

(denotes alternative text)

FOR OUTDOOR USE TO CONTROL WASPS, HORNETS & YELLOW JACKETS IN THEIR NESTS.

Use Limitations:

- **DO NOT** use inside buildings.
- **DO NOT** use as a space spray.
- **DO NOT** apply when people or pets are present.
- **DO NOT** allow people or pets to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply in areas where plants are grown for food or feed (e.g. vegetables, fruit, herbs). Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with foam with water.
- **DO NOT** apply to any body of water.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty. Outdoor application is limited to stinging insect nest treatments. **DO NOT** apply to vegetation, plants, grass and/or any area accessible to children.

The best time to apply the product to nests is in late evening or early morning, during cooler temperatures, and when most insects are at rest inside the nest. Observe for little activity around the nest opening. **DO NOT** stand directly under the nest. Treated insects may fall out of the nest and die. Apply only if there is little to no wind or breeze. From a distance of 2 to 2.5 m, with any light wind or breeze coming from behind, point actuator button with or without the applicator in the direction of the insect nest. Depress trigger, and continue spraying until the opening of the nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, insert the applicator into the nest opening and fill the nest space (or void where nest is located) with the insecticide foam. Wait at least 48 hours or until no signs of activity before removing the nest. **DO NOT** exceed 9 s per m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

STORAGE:

Store this product away from food or feed.

DISPOSAL:

- When container is empty, press button to release all pressure.
- **DO NOT** reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.