

2023-2678

2024-03-25

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06.

While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03/02/2025 in accordance with the phase out period set out in RVD2023-06.

This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2678
2024-03-25

Fight Back Jet Foam Spray Stinging Insect Killer – 24/7 (PNP)

Pressurized Contact & Residual Insecticide

For outdoor use to control wasps, hornets and yellow jackets in their nests.

DOMESTIC

ACTIVE INGREDIENTS:

Pyrethrins ... 0.050%
N-octyl bicycloheptene dicarboximide ... 0.250%
Permethrin ... 0.200%

REG. NO. 31634 P.C.P. ACT

NET CONTENTS: 100-600 g

CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Business Helpers' Depot Inc
98 Walker Drive
Brampton, ON
L6T 4H6
(905) 792-6571

2023-2678

2024-03-25

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DIRECTIONS FOR USE

SHAKE CAN WELL BEFORE USING. Can be used with or without the extension tube. Note: If inserting the extension tube, point the actuator button away from the face.

FOR OUTDOOR USE TO CONTROL WASPS, HORNETS & YELLOW JACKETS IN THEIR NESTS.

The best time to spray the product to nests is in late evening or early morning, during cooler temperatures, and when most insects are at rest inside the nest. Observe for little activity around the nest opening. DO NOT stand directly under the nest. Treated insects may fall out of the nest and die. Spray only if there is little to no wind or breeze. From a distance of 2 to 2.5 metres (6-8 feet), with any light wind or breeze coming from behind, point actuator button with or without the extension tube in the direction of the insect nest. Depress nozzle and continue spraying until the opening of the nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, insert the extension tube into the nest opening and fill the nest space (or void where nest is located) with the insecticide foam. Wait at least 48 hours or until no signs of activity before removing the nest. DO NOT exceed 32g per m² (6 seconds per m²).

Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

USE LIMITATIONS

For outdoor use only.

DO NOT use inside buildings.

DO NOT apply to any body of water.

2023-2678

2024-03-25

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

DO NOT apply when people, pets or livestock are present.

DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.

DO NOT allow spray to drip or allow drift onto non-target surfaces.

DO NOT apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs).

Avoid spraying vegetation and non-target structural surfaces. Hose off any plants or non-target structural surfaces that are contacted with foam with water.

DO NOT apply to people, pets, livestock or sources of electricity.

DO NOT contaminate food/feed.

DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment.

DO NOT use as a space spray or broadcast application.

Avoid application of this product when winds are gusty.

OPTIONAL TEXT

[Vinyl and Aluminum Siding: The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Before applying to vinyl or aluminum siding, treat a small area and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day.]

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated.

Avoid contact with skin, eyes and clothing. DO NOT inhale spray mist. Wash thoroughly with soap and warm water after using. Cover ornamental fish ponds before spraying. DO NOT contaminate animal feeding areas. Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat. DO NOT store or use above 50°C as container may burst. Avoid freezing. DO NOT puncture or incinerate container. DO NOT apply this product around equipment due to possibility of shock hazard.

ENVIRONMENTAL PRECAUTIONS

This product is intended for use on yellow jackets, hornets and wasps only. Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

STORAGE

Store this product away from food or feed.

DISPOSAL

2023-2678

2024-03-25

When container is empty, press button to release all pressure. DO NOT re-use the empty containers. DO NOT throw into fire. Wrap in newspaper and then discard in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

OPTIONAL MARKETING STATEMENTS

Jet Stream

Non-Staining

Water Based

Blankets Wasp and Hornet Nests

Spray nests safely from 2-2.5 m (6-8 feet)