

INDUSTRIAL ALGAECIDE

CONCENTRATED GERMICIDE

GUARANTEE:

n-Alkyl (40% C12, 50% C14, 10% C16)
dimethyl benzyl ammonium chloride80.0%

SOLUTION

FOR MANUFACTURING, FORMULATING OR REPACKAGING
READ THE LABEL BEFORE USING
REGISTRATION NO. 31297 PEST CONTROL PRODUCTS ACT

DANGER



POISON CORROSIVE

NET CONTENTS: xxx L

**Sani Marc inc,
42 de l'Artisan Victoriaville, Qc, G6P 7E3
(819) 758-1541**

DIRECTIONS FOR USE:

To be used only in the formulation of a pesticide which is registered under the *Pest Control Products Act*. Formulators are responsible for their own registrations.

~~DO NOT MIX WITH SOAP OR ANIONIC MATERIALS.~~ Industrial Algaecide is a cationic germicide.

This product should not be used or compounded with any reducing or oxidizing agents (such as calcium hypochlorite, solid perchlorate or nitric acid) since such mixtures may be explosive. Do not use in conjunction with soap or any anionic wetting agent.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL:

Canadian formulators should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. DANGER - Corrosive to eyes.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves and respirator if mist is generated. Harmful if swallowed. Avoid contamination of food.

~~Under certain conditions, the use of protective creams may be advisable.~~ Wash thoroughly after handling.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to

do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed. Treat symptomatically.