

2011-3549
2012-03-21

K-G Flying Insect Killer (d-trans)

INSECTICIDE PRESSURIZED SPRAY

COMMERCIAL

For use in milk houses, milking parlours, barns, food plants, food service establishments, restaurants, hotels, hospitals, other commercial and industrial buildings, as well as household pest control.

Controls flies, mosquitoes, stable flies, house flies, wasps, gnats, flying moths and accessible stages of stored product insects. Crawling insects such as cockroaches, spiders, crickets, ants, carpet beetles, centipedes, silverfish, dog and cat fleas, and bed bugs.

GUARANTEE:

d-trans Allethrin	0.50%
Piperonyl Butoxide	4.00%

REGISTRATION NO. 30253 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 150-700 g

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

K-G PACKAGING INC.
8001 Keele Street
Concord, Ontario
L4K 1B2
905 669-9855

DIRECTIONS FOR USE:

BARN AND MILKING PARLORS: Kills flying insects in barns, milking parlors and milkhouses. Cover milking utensils to prevent contamination from spray and dead insects, do not spray milking equipment (any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse). Do not use in rooms where milk is processed, handled or stored. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 1 to 2 seconds per 30 m³. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Ventilate treated areas thoroughly for at least 30 minutes before animal reentry. Spray only when temperature is under 32°C.

SPACE SPRAY: Food processing plants, restaurants, hotels, hospitals, and other commercial and industrial buildings. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Remove all personnel and patients before starting to treat area. For space spraying building with animals, remove animals before treatment. Direct spray upwards to all parts of the room, especially windows and other light sources. Apply at a rate of 3 to 5 seconds per 30 cubic metres. Keep spray at least 1 metre from interior walls, fabrics and furniture. For best results, close all doors and windows during treatment and keep room closed for fifteen minutes before ventilating. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. Sweep up and destroy dead insects.

TO KILL HOUSE PESTS: "**Flying Insects:** Flies, Mosquitoes, Wasps, Gnats and Flying Moths. Remove all people and pets before starting to treat area. Remove pets for one hour when spraying rooms. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. Close doors and windows. Direct mist upwards in sweeping motion to all parts of the room especially windows and other light sources. Apply 3-to 5 seconds bursts per 30 m³ of space. Keep doors and windows closed for 15 minutes after each treatment. Also direct mist into areas where insects are present. Keep spray at least 1m from interior wall, fabrics and furniture. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry." "**Crawling Insects:** Cockroaches, Spiders, Crickets, Ants, Carpet Beetles, Centipedes and Silverfish. Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails, around door sills, window frames, or in ant nests. Insects must be hit to be killed." "**Bed Bugs:** Apply as spot treatment to mattress (particularly around folds, seams and tufts. Take beds apart, clean and air out, spray all joints). Spray until damp. Repeat as required." "**FLEAS:** Spray infested areas such as pet's bed and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floor and floor covering where these pests may be present. Remove old bedding after treatment. Insects must be contacted to be killed. Do not treat animals with this product.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after areas have been treated. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. **CONTENTS UNDER PRESSURE:** This dispenser contains a liquid under pressure. Do not puncture or incinerate container or expose to temperatures higher than 50° C. Do not place in hot water or near radiators, stove or other sources of heat. Do not store product in direct sunlight. Do not spray into or near any open flame, spark, or while smoking. Do not spray directly on food or utensils. Do not spray in presence of fish, aquatic or other coldblooded life. Do not use in presence of open flame or spark. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Do not contaminate any body of water. Do not contaminate food, feed or water troughs. Do not spray closer than 1 metre to fabric. Exceeding dosage rates and bi-weekly applications may cause stains on fabrics, furs and other materials. In meat packing plants, food processing plants and food service establishments, apply only when the plant is not in operation. Spray mist or spray residue must not contact food. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations. In homes or dwellings, remove or cover all exposed foods and cooking utensils before spraying.

FIRST AID :

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for information on the clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of the product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.