

2016-3908
2016-12-21

TERMINATOR WASP & HORNET KILLER

PRESSURIZED CONTACT AND RESIDUAL INSECTICIDE SPRAY

COMMERCIAL

SHAKE WELL BEFORE USING

GUARANTEE

Pyrethrins	0.050%
Piperonyl Butoxide	0.100%
N-Octyl Bicycloheptene Dicarboximide	0.166%
Propoxur	0.500%

REGISTRATION NO. 31773 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

DANGER



EXTREMELY FLAMMABLE

EXPLOSIVE

NET CONTENTS: 400 g

VENTES ALIBAR SALES
aka 1594125 Canada Inc.
1360 Rue Begin
St. Laurent, QC H4R 1X1
514 507-1564

FOR THE CONTROL OF WASPS, BEES, HORNETS AND YELLOW JACKETS.

LIMITATIONS: DO NOT use inside homes, on humans or animals. **DO NOT** use as a space spray. **NOT INTENDED FOR HOUSEHOLD USE.**

Do not use in indoor residential areas. Indoor residential areas are defined as any indoor use site where bystanders including children could be exposed during or after application. This includes homes, hospitals, schools, public buildings, day care facilities, motels, hotels, passenger areas of trains, buses or airplanes, and other indoor locations where the general public including children may be exposed.

Outdoor application is limited to crack and crevice, structural and stinging insect nest treatments and must not be applied to vegetation, plants, grass and/or any area accessible to children.

DIRECTIONS:

SHAKE WELL BEFORE USE. Remove protective cap. Press the nozzle and completely saturate the nest from a distance of 2 to 3 meters. Allow sufficient time for insects to become dead or moribund. Applications to wasp nests should be made in late evening or early morning (if possible) when insects are at rest.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

May be harmful if swallowed, inhaled or absorbed Through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Avoid breathing spray mist. Wash thoroughly with soap and warm water after using. Do not contaminate food, utensils, food preparation areas. Remove animals before spraying. Toxic to fish and wildlife. Do not contaminate animal feeding areas. Contents under pressure. Do not store or use above 50°C as container may burst. Do not use in the presence of open flames or sparks. Do not smoke while using this product.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

Propoxur is a carbamate which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician. Do not give morphine. Watch for delayed pulmonary edema in cases of serious poisoning. In this case, use oxygen therapy.

DISPOSAL: When container is empty, press valve to release all remaining pressure. **DO NOT** puncture or incinerate container. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.