TriCor® 75 DF MUP Herbicide

Dry Flowable

FOR MANUFACTURING, FORMULATING OR REPACKAGING

GUARANTEE: Metribuzin......75 %

REGISTRATION NUMBER 31801

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.



NET CONTENTS: 500 – 1000 kg

UPL AgroSolutions Canada Inc. PO Box 12219 Research Triangle Park, NC 27709 1-800-438-6071

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

- KEEP OUT OF REACH OF CHILDREN.
- Harmful if swallowed, inhaled or absorbed through skin.
- Avoid contact with skin, eyes, or clothing.
- Avoid breathing dust Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Wash contaminated clothing with soap and hot water before re-use.
- Wash skin thoroughly with soap and warm water after handling.
- Do not contaminate food or feed.
- Read and follow label instructions and directives.

FIRST AID

IN CASE OF POISONING Contact a physician or a poison control centre IMMEDIATELY.

IF SWALLOWED Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have a person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF INHALED Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN/CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

TO PHYSICIAN: No specific antidote is available. Treat the patient symptomatically.

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by breathing difficulties and sedation.

DIRECTIONS FOR USE:

To be used only in the manufacture of a herbicide which is registered under the PEST CONTROL PRODUCTS ACT.

STORAGE

Store product in a cool, dry, well-ventilated area in the original container only, away from fertilizer, food, or feed.

DECONTAMINATION AND DISPOSAL:

2024-1378 2024-06-04

Canadian formulators using this product should dispose of unwanted product and container in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of the product.

UPL, the UPL logo and TriCor are registered trademarks of a UPL Corporation Limited Group Company.

©2021 UPL Corporation Limited Group Company.