

2017-0455
2017-02-14

BLAZE WASP & HORNET JET FOAM
KILLS ON CONTACT
JET FOAM SPRAY PRODUCT FOR OUTDOOR USE ONLY

DOMESTIC

REG. NO. 31664 PCP ACT

READ THE LABEL BEFORE USING

GUARANTEE:

Tetramethrin 0.20%
d-phenothrin (Sumithrin) 0.20%

EYE IRRITANT
KEEP OUT OF REACH OF CHILDREN

CAUTION EXPLOSIVE POISON

NET CONTENTS _____ GRAMS

Novella Brands Inc.
120 Midair Court
Brampton, ON
L6T 5V1
1-905-790-0650

DIRECTIONS FOR USE: SHAKE WELL BEFORE USE.

Do not treat when food is present. Clean treated surfaces before being used to prepare food. TOXIC to bees. This product is intended for use on yellow jackets, hornets and wasps only.

For Control of Exposed Nests of Wasps, Yellow Jackets, and Hornets: For use outdoors only to treat nests under eaves, near window frames, doorways, carports, picnic areas, and outdoor play areas or anywhere nests are built. Not for use against nests located underground or in voids.

1. Spray nest at sunrise or sunset when insects are least active.
2. Use only in well ventilated areas.
3. Ensure bystanders are not present during application.
4. Stand a safe distance from the nest [1 – 3 meters]. Do not stand directly underneath.
5. Shake can well before each use. Hold can upright and spray away from person. Push button to spray.
6. Aim actuator at the opening in the nest and spray until soaked.
7. Then spray the rest of the nest until it is saturated.
8. Saturation of the nest is required for control. Observe for activity for at least 24 hours and treat again if necessary. DO NOT reapply within 24 hours of the previous treatment.
9. Observe the nest for pest activity for at least 24 hours. If no pest activity is observed after 24 hours, the nest may be removed.

Use Tips:

1. Spray only if there is no wind or breeze.
2. Avoid spraying vegetation directly.
3. Rinse with water any desirable foliage that is contacted with spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled. May irritate the skin. Avoid breathing spray. Avoid contact with skin. Wash hands thoroughly with soap and water after use. Do not apply directly to humans, pets, plants, or contaminate food, food containers, utensils or food preparation areas. Cover or remove exposed food before use. Remove pets and birds and cover fish aquariums before spraying.

This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Do not apply this product around equipment due to possibility of shock hazard. This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and recheck in a few hours.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

STORAGE: Store in a cool dry place away from heat or open flame, preferably in a locked storage area.

CONTAINER DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage.

ENVIRONMENTAL HAZARD: Toxic to aquatic organisms.