2019-6386 2020-04-03

Terro® Ant Killer Ready-To-Use Spray

This product is to be used to control Ants, Cockroaches, Fleas, Brown and American Dog Ticks, Spiders, Silverfish, Sowbugs, House Flies, Aphids, and Whiteflies inside buildings.

Non-Staining on water-safe surfaces No Sticky residue Water-Based Formula No Odour

DOMESTIC

ACTIVE INGREDIENTS: Permethrin 0.25 % REG.NO. 31870 P.C.P. ACT KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

Made in Canada

250 mL - 1 Litre

Woodstream Canada Corporation Unit 1, 25 Bramtree Court Brampton, ON L6S 6G2 1-800-800-1819

PEEL BACK FOR DIRECTIONS

DIRECTIONS FOR USE

General Information: Permethrin is a synthetic version of pyrethrins. Pyrethrins have long been known for rapid knockdown of insects. Although permethrin is more stable than pyrethrins, it is still degraded by the ultraviolet rays of the sun. This results in a relatively short residual life in the presence of sunlight. When protected from the sun, permethrin will provide residual/long lasting activity.

Terro® Ant Killer Ready-To-Use Spray is ready to use. Its special formula is non-staining, and has no conspicuous odour. Water, not petroleum distillate is used as the diluent. Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible.

Restrictions: DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. DO NOT apply when people or pets [or livestock] are present. DO NOT allow people or pets [or livestock] to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT apply to people, pets, livestock or sources of electricity. DO NOT apply to furniture, mattresses, linens, toys or clothing. DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces, small storage rooms, closets). Ventilate treated areas after application by opening windows and doors, or using fans where required to aid in the circulation of air. DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs). DO NOT apply as a space spray or broadcast application.

How to Apply: DO NOT APPLY AS A SPACE SPRAY OR BROADCAST APPLICATION. Shake well before using. Apply as a crack and crevice or spot treatment only to control Ants, Cockroaches, Fleas, Brown and American Dog Ticks, Spiders, Silverfish, Sowbugs, House Flies, Aphids, and Whiteflies. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

Instructions for inside buildings:

To Control Ants, Cockroaches, Silverfish, Sowbugs and Spiders: Thoroughly treat inside building surfaces, including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes;, around garbage containers; around interior foundations; localized area around garbage cans; localized areas of floors and floor coverings and points of entry (e.g., around windows and doors). For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items. For ants, also spray trails and nests. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

<u>To Control House Flies:</u> Spot treatment only. Spray inside building surfaces around points of entry (e.g., screen frames, doors and window frames), around light fixtures and to localized areas of walls, floors and ceilings. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To Control Fleas (Adult and Larvae) and American and Brown Dog Ticks (Adult and Nymphs): DO NOT apply to furniture, mattresses, linens, toys or clothing. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings. Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

For use on indoor ornamental plants to control aphids and whiteflies:

<u>Controls aphids and whitefly</u>. Safe to use on most plants. Spray surfaces of upper and lower leaves of plants until damp but not to the point of run-off. Treatment must only be repeated if pest problem persist or reoccurs. Before

2019-6386 2020-04-03

treating delicate plants such as Coleus and African Violet spray 1 or 2 leaves. If no effect is noticed after 2 days it is safe to treat whole plant.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Keep children and pets away from treated areas, at least until spray has dried. Do not use as a space spray. Avoid contamination of food, feed, cooking utensils or drinking water. Wash thoroughly before eating, drinking and smoking. Remove fish bowls and aquariums from the treated area.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If in eyes: hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Toxic to beneficial insects.

STORAGE

Keep product in original container. Store in a cool, dry place away from food.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

DISPOSAL

Do not reuse empty container. Wrap empty container and dispose in household garbage. Do not pour down any indoor or outdoor drain.