

2021-6463
2022-01-14

This label has been updated according to the special review decision of Metaldehyde SRD2020-03. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 19/11/2022 in accordance with the phase out period set out in SRD2020-03.

This previously approved label will be provided upon request by emailing [hc.pmra.info-
arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca). In your email please include the product name and Registration number of the label you are requesting.

Axcela®

MOLLUSCICIDE PELLETS COMMERCIAL

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT :

Metaldehyde 3.0%

Contains calcium propionate at 1.0% as preservatives.

Warning, contains the allergen wheat

REGISTRATION NO. 32149 PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

Net Contents: 11.3 – 22.68 kgs

ARXADA, LLC
412 Mount Kemble Avenue, Suite 200S
Morristown NJ 07960
(201) 316-9200

Highly concentrated bait formulated to make it less attractive to birds and domestic animals
Remains effective after rain and watering

DIRECTIONS FOR USE

Attracts and kills SNAILS and SLUGS on listed vegetables, berries and ornamentals.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- Eliminating hiding places by removing leaf litter and debris in the garden;
- Removing slugs and snails during daylight hours from nearby leaf litter, mulch and other protected areas
- Watering in the morning to reduce humidity during the night when snails and slugs are active

APPLICATION DIRECTIONS:

Apply as a soil surface treatment. Use a band treatment between the rows after formation of edible parts. Do not apply directly to or contaminate edible portions of the plant. Do not mix with any seeds prior to application.

Apply as described below when first plant damage appears or as

anticipated. For best results:

- Apply following rain or watering
- Apply in the evening

Do not re-water for 48 hours after application

BROADCAST APPLICATION IS

PROHIBITED.

APPLICATION TO TURF IS PROHIBITED.

DO NOT APPLY DIRECTLY TO PLANT.

AVOID APPLYING PELLETS IN PILES.

DO NOT OVER APPLY.

FOR USE ONLY AS AN AGRICULTURAL MOLLUSCIDE.

VEGETABLES:

Cabbage, lettuce, crop subgroup 8-09 A (Tomatoes): Apply 7 kg per hectare.

BERRIES:

Crop subgroup 13-07 A (Caneberries) and crop subgroup 13-07G (Low growing berries): Apply 7 kg per hectare

ORNAMENTALS:

Ornamental greenhouses and/or ornamental planting: Apply 7 kg per hectare.

Use Site	Maximum Number of Applications per Year	Minimum Application Interval (Day)
Cabbage, Lettuce, CSG8-09A ¹ , CSG13-07A ² , CSG13-07G ³	3	14
Ornamentals	6	21

¹ Includes currant tomatoes, garden huckleberries, goji berries, groundcherries, sunberries, tomatillos, and tomatoes

² Includes blackberries, loganberries, raspberries, wild raspberries and cultivars, varieties and/or hybrids of these

³ Includes bearberries, bilberries, lowbush blueberries, cloudberrries, cranberries, lingonberries, muntries, partridgeberries, and strawberries

Pre-harvest Intervals:

Food crops may not be harvested within 6 days of treatment. Observe a 6 day PHI. Cabbage may not be harvested within 21 days of treatment. Observe a 21 day PHI.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wear long-sleeved shirts, long pants, shoes, socks and chemical resistant gloves when handling and applying this product. Follow manufacturer's instructions for cleaning and maintaining personal protective equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. This product can be harmful to children and fatal to domestic animals when ingested. Children and dogs may be attracted to the product. Application of this product is prohibited unless children and domestic animals can be excluded from the treated area from the start of the application until applied material is no longer visible.

DO NOT enter or allow worker entry into treated areas for 12 hours following application.

ENVIRONMENTAL PRECAUTIONS:

- To reduce runoff from treated areas into aquatic habitats, avoid application to areas with a moderate to steep slope, compacted soil, or clay.
- Avoid application when heavy rain is forecast.
- Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.
- Toxic to aquatic organisms
- Toxic to birds
- Toxic to small wild mammals
- CLEAN UP OR BURY ANY SPILLED PRODUCT

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice

If swallowed: Call poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment.

Metalddehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should

receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

HUMANS: Dust inhalation is usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

STORAGE:

This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

DISPOSAL:

Completely empty the contents of the bag into the application device. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty bag unsuitable for further use. Do not reuse or refill empty bag. Dispose of the bag in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

AXCELA is a Registered Trademark of ARXADA, LLC