

2015-2423
30-DEC-2015

COMMERCIAL (AGRICULTURAL)

DYNAMAX ADJUVANT

Non-ionic spray adjuvant

For use with Pest Control Products as labeled.

GUARANTEE:

Triglyceride Ethoxylate 10 POE 56.00%

Siloxylated Polyether 24.00%

Surfactant Blend...6.00%

Contains the allergen soy

Emulsifiable Concentrate

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 31814 PEST CONTROL PRODUCTS ACT

CAUTION-SKIN IRRITANT

NET CONTENTS: 0.5L - Bulk

Norac Concepts Inc.

P.O. Box 31097

Guelph, ON

N1H 8K1

(519) 821-3633

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

HANDLING

During mixing, loading, application, spill clean up and sprayer clean-up, maintenance or repair, wear a long-sleeved shirt, long pants and chemical resistant gloves. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling. Avoid breathing spray mist. Store away from food or feed. Do not contaminate water supplies, wetland areas, or any body of water by direct application, spray drift or when cleaning and rinsing spray equipment or containers.

STORAGE

Store in a cool, dry and well-ventilated area. Keep in original container tightly closed in a safe place when not in use. Keep away from food, drink and animal feedstuffs. Do not freeze. Do not store above 40C.

SPILL CLEANUP

Soak up spill with absorbent material (kitty litter, granular clay, soil) and collect into a waste container. Wash spill site with water after material pick-up and dispose with waste. See DISPOSAL statement below.

DECONTAMINATION AND DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL

FOR DISPOSAL OF PLASTIC JUGS:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

FOR REFILLABLE CONTAINERS:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not use this container for any other purpose. If the container is not being refilled, refer to the section FOR DISPOSAL OF PLASTIC JUGS.

EMERGENCY TELEPHONE NUMBER: All hours, (613) 787-5620 ONLY for health and environmental information.

DIRECTIONS FOR USE:

Follow directions for use in table below.

Control Product	Application Rate of Dynamax Adjuvant	Remarks
Telar Herbicide Toss-N-Go Bags, Telar XP Herbicide	0.05 – 0.10% v/v	Consult product label for use. Use the higher rate of Dynamax Adjuvant for higher weed pressures
Escort Herbicide, Reclaim Herbicide, Sightline A Herbicide	0.10% - 0.20% v/v	Consult product label for use. Use the higher rate of Dynamax Adjuvant for higher weed pressures
Clearview Herbicide, Navius Herbicide, Navius VM Herbicide, Truvist Herbicide, Rejuvra XL Herbicide, Overdrive Herbicide	0.125% - 0.25% v/v	Consult product label for use. Use the higher rate of Dynamax Adjuvant for higher weed pressures.
Classic Grande Herbicide or Classic 25 DF Herbicide + Assure II Herbicide, ELIM EP Herbicide 25% Dry Flowable or Elim 25 SG Herbicide + Dual II Magnum Herbicide + Banvel II Herbicide or Banvel Dry	0.150% - 0.175% v/v	Consult product label for use. Use the higher rate of Dynamax Adjuvant for higher weed pressures.
Torrent 400SC Agricultural Fungicide	0.25% v/v	For use on Potatoes. Consult product label for use.
Eragon Herbicide + Glyphosate (as the isopropylamine salt, di-ammonium salt or potassium salt)	0.25% v/v	Consult product label for use.
VisionMAX Silviculture Herbicide, Roundup Ultra2 Liquid Herbicide, Vantage Plus Max II Herbicide	0.5x - 1x the rate of non-ionic surfactant indicated on the glyphosate product label	Consult product labels for use. Where these products are recommended for use for annual or perennial weeds with a non-ionic surfactant, such as Agral 90, Ag Surf or Companion, apply Dynamax Adjuvant at 0.5x to 1x the rate of the non-ionic surfactant. For example, where 350mL per 50-100L/ha of a non-ionic is recommended, use 175-350mL Dynamax Adjuvant with 50-100L/ha water. Also, where 0.5%v/v is recommended of a non-ionic surfactant, use 0.25%-0.50% v/v of Dynamax Adjuvant. Use the higher rate of Dynamax Adjuvant for higher weed pressures
Glyphosate products containing glyphosate as the potassium or isopropylamine salt.	0.5x - 1x the rate of non-ionic surfactant indicated on the glyphosate product label	Dynamax Adjuvant can be used with other glyphosate products containing glyphosate as the potassium salt or isopropylamine salt and which require or allow the use of a non-ionic surfactant and for which the glyphosate product label does not limit such use to a particular non-ionic surfactant product(s). For these glyphosate products, consult the product label for the rate of non-ionic surfactant. Apply Dynamax Adjuvant at 0.5x to 1x of this rate. For example, where the glyphosate product label indicates a non-ionic surfactant rate of 350 mL in 50-100 L water/ha, then the rate of Dynamax Adjuvant would be 175-350 mL Dynamax Adjuvant in 50-100 L water/ha. Use the higher rate for higher weed pressures.