

ESD 12101

INSECT REPELLENT

DOMESTIC

SOLUTION

FOR OUTDOOR USE ONLY

Do not use indoors, in a tent or an enclosed area.

REPELS MOSQUITOES

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: METOFLUTHRIN4.0%

REGISTRATION. NO. 32771


PEST CONTROL PRODUCTS ACT

CAUTION

POISON



Manufactured by



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

NET CONTENTS: Contains a total of 45ml to 400ml
Contains a total of 24ml to 192ml

Valent Canada Inc., 201-230 Hanlon Creek Blvd., Guelph, Ontario N1C 0A1, (519) 767-9262

{**PRODUCT NAME WITH FIXTURE**}

Contains: 1 to 8 Fixture(s) [Device(s)] [Unit(s)] and 1 x 24 ml to 8 x 24 ml or 1 x 45 ml to 8 x 45 ml or 1 x 50 ml to 8 x 50 ml
Bottle Name [Repellent Bottle(s)] [Repellent Cartridge(s)] [Repellent Refill(s)]

{Bottle only}

Contain(s): 1 x 24ml to 8 x 24 ml or 1 x45 ml to 8 x 45 ml or 1 x 50 ml to 8 x 50 ml Bottle Name [Repellent Bottle(s)] [Repellent Cartridge(s)] [Repellent Refill(s)]

- Repels [protects against] biting mosquitoes
- Repels mosquitoes
- Repels [biting] mosquitoes
- Fast-acting mosquito protection
- Easy to use
- Convenient
- Non-Staining
- Odorless
- Unscented
- Repellent is odorless, [silent] [and invisible area of protection]

{Additional alternate bullets at end of label}

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-888-740-8712.

DIRECTIONS FOR USE:

For use outdoors on patios, decks, unenclosed porches, walkways, around swimming pools and other outdoor areas where mosquito protection is desired.

2020-1548
2020-06-01

Do not use indoors, in a tent or an enclosed area.

Do not pry ESD 12101 [Bottle Name] [Repellent Cartridge] [Repellent Refill] open.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

For best results [protection] [coverage] [for a typical sized deck or patio] place [install] one fixture [PRODUCT NAME] [Device] [Unit] every 3.6m around [throughout] the area you wish to protect [from biting mosquitoes].

A set of 4 Fixtures [Devices] [Units] provides up to 40m² of mosquito protection.

A set of 6 Fixtures [Devices] [Units] provides up to 61m² of mosquito protection.

The Vaporizer [Liquid] [Repellent] [Emanator] works [operates] independently from [with or without] the Light [Light Fixture] [Lamp] [LED].

The Vaporizer [Liquid] [Repellent] [Emanator] should be turned off when not in use.

The Vaporizer [Liquid] [Repellent] [Emanator] will get hot while in use. Always allow Vaporizer [Liquid] [Repellent] [Emanator] to cool before replacing with ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill].

After 6 weeks of use, open [remove] Fixture [device] cover and visually inspect ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] to determine usage rate.

The claimed hours of repellency are an average based on lab testing, and presume using 90% of repellent provided. The last 10% of repellent is not claimed, as repellency effectiveness may diminish with reduced wick exposure. Your repellent usage rate will vary based on the temperature and relative humidity.

The Vaporizer [Liquid] [Repellent] [Emanator] power-on indicator light will flash when device has been operated for approximately 195 hours, indicating that ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] has about 20 hours remaining of effective operating life. We recommended that you check the ESD 1210 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] and replace it before it is empty.

Replace when ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] is empty.

Replace when ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] when power to device is turned off.

Do not insert [use] anything than ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] in [to] the Fixture [Product Name] [Device] [Unit].

Operating Instructions: [Please refer to detailed instructions provided with the (PRODUCT NAME)]

Use [transformer] [optional controller] photo sensor, [timer] or [switch] to operate [to turn on] Vaporizer [mosquito repellent] [repellent] [mosquito protection] [system] [device] [Repellent] [Emanator].


Use [transformer] [optional controller] photo sensor, [timer] or [switch] to operate [to turn on] Light [Light Fixture] [Lamp] [LED].

Use with 12v transformer and controller provide [available separately].

Installation Instructions: [Please refer to detailed instructions provided with the (PRODUCT NAME)]

[Turn off electricity at main circuit breaker panel before beginning installation.] Consult local building codes to ensure compliance with wiring and grounding requirements.

1. Attach each Fixture [Device] [Unit] to post or stem, using hardware provided making sure Fixture [Device] [Unit] is level.



2. Connect Vaporizer [Liquid] [Repellent] [Emanator] and Light {Light Fixture} [Lamp} [LED] wires to controlled 12v power source, [or use (PRODUCT NAME) Controller and Transformer].


3. Place [Install] one ESD 12101[PRODUCT NAME] [Fixture] [Device] [Unit] every 3.6m.

If you have any questions about wiring, get assistance from a professional electrical contractor.


When using for the first time [For first time] [Initial] Use:

How to insert ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] into Fixture [Device] [Unit].


1. Remove 1[one] ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] from packaging.




2. Place on a flat surface and remove protective cap.
3. Attach locking adaptor cap to bottle with spurs at bottom, closest to bottom of bottle, and turn until secure. Once attached properly, this cap is not removable.




4. Unplug [Disconnect power to] Fixture [Device] [Unit].




5. Open [Remove] Fixture [Device] [Unit].



6. Ensuring that the locking adaptor is secured to the [Repellent Bottle] [Repellent Cartridge] [Repellent Refill], carefully insert ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] into fixture so that top of wick fits into Vaporizer [Liquid] [Repellent] [Emanator] and rotate about 30 degrees to secure to fixture.




7. Replace [Attach] Fixture [Device] [Unit] cover.




8. Repeat each Fixture [Device] [Unit] [reconnect power].
9. When finished plug in Fixture [Device] [Unit] [reconnect power].

How to replace empty ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** into fixture **[device]**.


1. Unplug **[Disconnect power to]** Fixture **[Device]** **[Unit]**.
If Vaporizer **[Liquid]** **[Repellent]** **[Emanator]** has been operating, allow at least 1 hour to cool down before handling.




2. Remove 1 **[one]** ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** from packaging.
3. Place on a flat surface and remove protective cap.




4. Attach locking adaptor cap to bottle with spurs at bottom, closest to bottom of bottle, and turn until secure. Once attached properly, this cap is not removable.




5. Open **[Remove]** Fixture **[Device]** **[Unit]**.




6. Remove used **[empty]** ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** from assembly.



7. Ensuring that the locking adaptor cap is secured to the [Repellent Bottle] [Repellent Cartridge] [Repellent Refill], carefully insert ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] into fixture to that top of wick fits into Vaporizer [Liquid] [Repellent] [Emanator] and rotate about 30 degrees to secure to fixture.



8. Replace [re-attach] [Fixture] [Device] [Unit].



9. Repeat for each Fixture [Device] [Unit].
10. When finished, plug in Fixture [Device] [Unit] [reconnect power].

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. HAZARDS TO HUMANS AND DOMESTIC ANIMALS. Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco or using the toilet. Only adults are permitted to replace the cartridge.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and pest control product registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Do not apply directly to water.

STORAGE:

Do not contaminate water, food or feed by storage and disposal of repellent unit.

Pesticide Storage: Store in a cool, dry place out of reach of children. Keep container tightly closed. Store refills out of direct sunlight.

DISPOSAL:

Pesticide Disposal and Container Handling: Non-refillable [liquid vaporizer] [bottle] [cartridge] [container]. Wrap in newspaper and dispose with household garbage. DO NOT reuse the empty containers. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites. Never place unused product down any indoor or outdoor drain.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

Conditions: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of MGK. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, MGK MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE. THAT EXTENDS BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of MGK is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, MGK disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT MGK'S ELECTION, THE REPLACEMENT OF PRODUCT.

[Or alternate text

Note [Notice]: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.]

[Or alternate text

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]

[[Fixture] [Device] [Unit] made in (country of Origin)]

[[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] made in (country of origin)]

{Additional alternate bullets}

- [For optimal performance active within 15 minutes of use.
- Provides protection within 15 minutes of use.
- Contains 1 [2] [3] [4] [5] [6] [7] [8] ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill](s) [for PRODUCT NAME].
- Includes 1 (one), [2 (two)], [3 (three)], [4 (four)], [5 (five)], [6 (six)], [7 (seven)], [8 (eight)] ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill].
- Available [in] single pack [multi pack] [2 pack] [4 pack] [6 pack] [8 pack].
- Effective, season-long* mosquito protection for your entire deck, porch or patio.
- Attractive lights fixtures that protect your outdoor patio, [unenclosed porch], [walkway] [or deck] area from [biting] mosquitoes all season*.
- Attractive lights enhance your patio, unenclosed porch, deck, walkways or yard.
- Each Fixture [PRODUCT NAME] [DEVICE] [UNIT] contains a Vaporizer [Liquid] [Repellent] [Emanator] [that] releases an odorless, invisible repellent [that] [and] protects up to 10m² (SF).
- Protects up to 10m² area.
- Protects [provides] a 3.6m (diameter [area] [of repellency]).
- 10m² (SF) [area] [zone] of protection [from biting mosquitoes] from each Fixture [PRODUCT NAME] [DEVICE] [UNIT].

- Use [Recommend using] four (4) Fixture [Device] [Unit] on a typical [average] sized deck, patio or outdoor area [for] [provides] over 40m² of coverage.
- Use [Recommend using] six (6) Fixture [Device] [Unit] on a typical [average] sized deck, patio or outdoor area [for] [provides] over 60m² of coverage.
- Fixture **[PRODUCT NAME] [DEVICE] [UNIT]** produces an invisible area [cloud] [zone] of protection which repels biting mosquitoes.
- Fixture **[PRODUCT NAME] [DEVICE] [UNIT]** produces an invisible [odorless] vapor to repel [that repels] [biting] mosquitoes.
- Vaporizer [Liquid] [Repellent] [Emanator] produces an invisible [cloud] [zone] of protection which repels biting mosquitoes.
- Vaporizer [Liquid] [Repellent] [Emanator] produces an invisible [odorless] vapor to repel [that repels] [biting] mosquitoes.
- Each 45ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides Season-Long* mosquito protection.
- Each 45ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 90 days [3months] of mosquito protection 4.5 hours per day.
- Each 45ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 400 [total] hours of mosquito protection.
- Each 50ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides Season-Long** mosquito protection.
- Each 50ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 90 days [3months] of mosquito protection 5 hours per day.
- Each 50ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 455 [total] hours of mosquito protection.
- Each 24ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides Season-Long*** mosquito protection.
- Each 24ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 90 days [3months] of mosquito protection 2.4 hours per day.
- Each 24ml ESD 12101 **[Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill]** provides 216 [total] hours of mosquito protection.
 - *assumes season as 90 days [3months]/average use 4.5 hours per day [45ml fill]
 - ** assumes season as 90 days [3months]/average use 5.0 hours per day [50ml fill]
 - *** assumes season as 90 days [3months]/average use 2.4 hours per day [24ml fill]
- [ESD 12101 with] Mosquito Protection Technology.
- [Patented] Patent Pending Mosquito Protection Technology [System]
- Easy to install.
- No batteries required.
- No open flame.
- No candles.
- Powered by low voltage electricity.
- No butane required.
- No external fuel required.
- Use [program] timer [photo sensor] [or switch] to turn on Vaporizer [mosquito repellent] [repellent] [system] [Liquid] [Repellent] [Emanator].
- Use [program] photo sensor [timer] [or switch] to turn on lights.
- Use [optional] controller [available separately] to independently operate lights and control Vaporizer [mosquito repellent] [repellent] [system] [Liquid] [Repellent] [Emanator].
- Lights [Lighting] [Light] [Light Fixture] [Lamp] [LED] may be used independently of Vaporizer [mosquito repellent] [repellent] [system] [Liquid] [Repellent] [Emanator].
- Durable [metal and glass] construction will provide beautiful lighting [and mosquito protection] for years to come.
- Efficient LEDs [use less power for year-round energy savings] [and] [lasts up to 20,000 [30,000] hours].
- Plus attractive, low-voltage outdoor lighting for that perfect summer evening.
- It's as easy as turning on the lights to say goodbye to [biting] mosquitoes and the old hassles of keeping them away for the entire summer!
- Use on patios, [unenclosed porches], [decks], [walkways], [yards] and other outdoor areas where mosquito protection is desired [required] [needed].
- Designed to mount [sit] on [existing] deck post, railing or a stake in the ground.
- Permanent low voltage [lighting] [fixture] are easy to install using [a supplied] [available] [an available] transformer and low voltage wire.
- Use with 12v transformer and controller [included] [available separately].
- Control with timer, [photo sensor] [or switch] for lighting and/or repellent when you want them, [day or night].

- Vaporizer [Liquid] [Repellent] [Emanator] can operate [be used] independently of lights [with or without] [having] lights on.
- Refillable light(ing) fixtures ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]**.
- Free ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** included.
- Extra refill included.
- Buy one get one free.
- Coupon [\$] Rebate(s) available [inside].
- ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** works with [in] **[PRODUCT NAME]**.
- ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]**.
- Specially designed for use with [in] **PRODUCT NAME**.
- For protection and added comfort outdoors.
- Works [when you want it] [day [and] [or] night].
- [Helps you] enjoy your evening activities with fewer [less] annoying [biting] mosquitoes.
- Simply turn [switch] off the Vaporizer [Liquid] [Repellent] [Emanator] when protection is not needed.
- Won't harm plants, [flowers], [shrubs] or [and] [grass] [lawns].
- Illuminated [Green], [Yellow], [Orange], [Blue] LED indicator [light] on [fixture] [device] indicates [signals] that Vaporizer [Liquid] [Repellent] [Emanator] is operating.
- [Green], [Yellow], [Orange], [Blue] LED indicator [light] on [fixture] [device] will flash [after 195 hours] to indicate it is time to [check] [and] [or] replace ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** level.
- Reset timer when ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]** has been replaced to begin another 195 hour countdown.
- Convenient protection from [biting] mosquitoes.
- Built-in timer signals when it's time to replace ESD 12101 **[Bottle Name]** **[Repellent Bottle]** **[Repellent Cartridge]** **[Repellent Refill]**.
- Effective against all types of mosquitoes.
- Discreet, low-profile fixtures blend in to landscapes.
- Add an existing [LV] [low voltage] lighting system or install with transformers and wire.

2020-1548
2020-06-01

Individual Small Bottle Label

ESD 12101 [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill].

INSECT REPELLENT

DOMESTIC

SOLUTION

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: METOFLUTHRIN4.0%

REGISTRATION. NO. 32771 PEST CONTROL PRODUCTS ACT

CAUTION POISON



NET CONTENTS:

See [outside] [Bottle Name] [Repellent Bottle] [Repellent Cartridge] [Repellent Refill] packaging [carton] [insert] for precautions and directions for use

Manufactured by



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341