

Front Panel

Hartz® UltraGuard Pro® Flea & Tick Shampoo for Dogs

Kills fleas and ticks

Kills fleas (flea eggs) (flea larvae)

Kills ticks

Prevents flea eggs from hatching and flea larvae from becoming adults for up to 30 days
(30 Day) (1 Month) (4 Week)

Shampoo for dogs

(x)% (More) (Free)!

Fresh (Scent) (Fragrance)

Spring Fresh (Scent) (Fragrance)

Reg. No. 31749 P.C.P. ACT

GUARANTEE:

d-Phenothrin.....0.27%

Pyriproxifen.....0.075%

(s) - Methoprene.....0.04%

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylhydantoin at 0.129%, hydroxymethyl-5,5-dimethylhydantoin at 0.030%, 2-methyl-4-isothiazolin-3-one at 0.00037% and 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00113% as preservatives

OR

Contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00113%, 2-methyl-4-isothiazolin-3-one at 0.00037% and phenoxyethanol at 0.3% as preservatives

NET CONTENTS 532ml

DOMESTIC

READ THE LABEL BEFORE USING

CAUTION SKIN IRRITANT

FOR USE ONLY ON DOGS

Do NOT use on puppies under 6 months of age.

Do NOT use on cats or kittens.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

Hartz Canada Inc.
1-800-275-1414

Back Panel:

DIRECTIONS FOR USE

Do not use in food handling, storage or preparation areas while food is present.

READ ENTIRE LABEL BEFORE EACH USE

- Apply this product only as specified on this label.
 - **FOR USE ONLY ON DOGS**
 - Do NOT apply this product to puppies less than 6 months of age.
 - Do NOT apply this product to cats or kittens.
 - Use caution when applying to young or small dogs as they may be more sensitive to pesticide products.
 - Do NOT contaminate food or feedstuffs.
 - Only apply directly to dogs when needed.
1. Do NOT administer by mouth.
 2. Wet dog's coat thoroughly with water.
 3. Use 15 mL of shampoo per 6.8 kg of body weight (2.2 mL of shampoo/kg of body weight).
 4. Rub shampoo into coat starting with head. Work backward from head to tail until coat is completely covered with foamy lather. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes.
 5. Do NOT treat eyes, face or genitals of the dog.
 6. Let stand or continue to massage in for 5 minutes.
 7. Rinse thoroughly to remove all traces of shampoo from the dog's coat and towel dry.
 8. Do not use this shampoo more often than once every week. Treatment must be repeated only if the pest problem reoccurs. Do NOT use solely as a shampoo when there is no pest problem.

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatments.

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal treatment of the premises may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

PRECAUTIONS

HUMANS: May irritate the skin. Avoid prolonged contact with skin. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet. After handling or applying, wash hands (or any other skin that came in

contact with the product) with soap and water. Avoid contact with pets until dry.

PETS: Rinse the dog thoroughly with water to remove all traces of shampoo. Avoid contact with dog's mouth, face, eyes and genitals. Do NOT allow the dog to lick the suds from the coat or ingest any of the shampoo. Sensitivities may occur after using any pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">· Hold eye open and rinse slowly and gently with water for 15-20 minutes.· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.· Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none">· Call a poison control centre or doctor immediately for treatment advice.· Have person sip a glass of water if able to swallow.· Do not induce vomiting unless told to do so by a poison control centre or doctor.· Do not give anything by mouth to an unconscious person.
Take container, label and Pest Control Product Registration Number with you when seeking medical attention.	

TOXICOLOGY INFORMATION

Treat symptomatically.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store this product in a cool, dry place that is inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not refill or reuse this container. **If empty:** Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

For more information call our experts at 1-800-275-1414

Visit hartzultraguard.com/Canada.aspx

Hartz and other trademarks are trademarks of the Hartz Mountain Corporation

Made in the USA for Hartz Canada, Inc. 1125 Talbot Street., St. Thomas, Ontario
N5P 3W7