

2020-06-12
Sub.No.2020-1059

RYNAXYPYR® 200 SC MUP

SUSPENSION

FOR MANUFACTURING, FORMULATING AND REPACKAGING

READ THE LABEL AND BEFORE USING

ACTIVE INGREDIENT: Chlorantraniliprole 200 g/L

Contains 1,2-Benzisothiazolin-3-one at 0.02% as a preservative.

REGISTRATION NO. 30213 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 1000 LITRES

FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
1-833-362-7722

DIRECTIONS FOR USE

To be used only in the manufacture of a pesticide which is registered under the PEST CONTROL PRODUCTS ACT.

PRECAUTIONS:

- **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**
- Avoid contact with skin, eyes and clothing.
- Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.
- Do not contaminate any body of water.

STORAGE:

Store product in original container only, away from other pesticides, fertilizer, food or feed. Keep container closed. To prevent contamination store this product away from food or feed.

DISPOSAL:

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID:

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For medical emergencies call **1-800-331-3148** (24 hours).

TOXICOLOGICAL INFORMATION: Treat symptomatically. This product contains a petroleum distillate. Vomiting may cause aspiration pneumonia.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Rynaxypyr® is a trademark of FMC Corporation or an affiliate