2018-0834 2018-10-29

ORTHO® BED BUG B GON™ MAX BED BUG KILLER

Kills Bed Bugs

PRESSURIZED CONTACT SPRAY

DOMESTIC

ACTIVE INGREDIENTS:

D-Phenothrin	0.20%
Tetramethrin	0.20%

REG. NO.: 32136 P.C.P. ACT

80-600 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

Scotts Canada Ltd. 2000 Argentia Road Plaza #2, Suite 300 Mississauga, Ontario L5N 1V8 1-800-668-5669

DIRECTIONS FOR USE:

SHAKE WELL BEFORE USING. Depress valve and spray lightly from a distance of 20-25 cm (8-10 inches). Do not use tetramethrin in food handling, storage or preparation areas while food is present. In the home, all processing surfaces should be covered during treatment, or thoroughly washed and rinsed before use. DO NOT apply as a broadcast application. Use only for spot or crack and crevice applications. A spot treatment is made to a localized surface area not greater than 0.2 m^2 . Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (e.g. floors, walls, ceilings). A crack and crevice application is made into narrow openings on the surface of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of constructions (e.q. baseboards, moulding). Residential areas are defined as any use site where the general public, including children, could be exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings or any other areas where the general public including children may potentially be exposed. Application to upholstered furniture must be limited to tufts and seams or spot treatment. TO KILL BED BUGS:

Apply as a spot treatment to cracks and crevices on and around baseboards, floorboards, bed frames, closets (remove clothing and other articles before treatment), door and window frames, and window treatmen-t hardware such as curtain rods.

Apply as a spot treatment to mattresses and box springs. Before treatment, remove all bedding and thoroughly vacuum and air out mattresses and box springs. Treat mattresses, box springs, bed frames, and headboards, especially tufts, folds and edges of the mattress. Spray until damp. Allow treatment to dry before remaking bed with freshly washed bedding.

Always test an area before spraying. Spray in an inconspicuous area to test for possible staining or discoloration. Evaluate test area after drying. DO NOT treat bed linens. DO NOT treat clothing. DO NOT use articles until treatment is dry.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. DO NOT SPRAY PETS OR OTHER ANIMALS WITH THIS PRODUCT. Cover fish aquariums and remove animals for a minimum of 1 hour when spraying room. Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard. Remove all plants from area before applying this product.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious If on skin or clothing, take off contaminated clothing. person. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

STORAGE:

Store in a cool dry area away from heat or open flame.

DISPOSAL:

Do not use empty container. When container is empty, press button to release all pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.

Scotts No-Quibble Guarantee®

If for any reason you are not satisfied after using this product, please call our customer service line at the number below for a full refund with proof of purchase.

Product Use Information: 1-800-668-5669 Website: www.ortho.ca ® used under license by Scotts Canada Ltd.
™ used under license by Scotts Canada Ltd.
© 2018 Scotts Canada Ltd. World rights reserved.

[Optional Text] [Sprays Upside Down] [Sprays in Any Position] [All Angle Spray] [Sprays 360°] [Water Based] [Kills Bed Bugs] [Comfort Button/Actuator] [User friendly] [Ready to Use]