

2015-2418  
2015-07-13

**EMZONE SUPER FAST STINGING WASP & HORNET KILLER**

**Kills Bees, Wasps, Yellow jackets, and Hornets on Contact**  
Reaches nests more than 17 feet above ground

PRESSURIZED PRODUCT

DOMESTIC

REG. NO. 31929 P.C.P. ACT

READ THE LABEL BEFORE USING

DANGER



EXTREMELY FLAMMABLE, EXPLOSIVE

GUARANTEE:

Pyrethrin -----0.050%

N-Octyl Bicycloheptene Dicarboximide.----- 0.250%

Permethrin ---- 0.200%

NET CONTENTS ----- gm

KEEP OUT OF REACH OF CHILDREN

**EMPACK SPRAYTECH INC.**

**98 WALKER DRIVE**

**BRAMPTON, ON L6T 4H6**

**647-998-3460**

**DIRECTIONS FOR USE:****USE ONLY AS DIRECTED ON THIS LABEL. NOT FOR USE INSIDE DWELLINGS.**

For Control of Bees, Wasps, Yellow jackets, and Hornets: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

**LIMITATIONS:** Do not use inside homes, on humans or animals. Do not use as a space spray.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Do not breathe vapors or spray mist. Causes moderate eye irritation. May irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food and feedstuffs. Do not apply this product around equipment due to possibility of shock hazard. Provide adequate ventilation of area being treated.

Contents under pressure. Do not puncture or incinerate container or spray near open flame or spark, or while smoking. Do not place in hot water or near radiators, or stoves or other sources of heat, or store or use above 50°C as container may burst. Do not contaminate food, food containers, utensils, and food preparation areas. Toxic to bees, fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not spray asphalt shingles, as this product may stain them.

**FIRST AID:** If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**DISPOSAL:** Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.

**STORAGE:** Store in a cool dry area away from heat.