

2023-7241

2024-07-25

This label has been updated according to the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 08-29-2025 in accordance with the phase out period set out in the re-evaluation decision for Sodium Hypochlorite and Calcium Hypochlorite RVD2023-14. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-7241
2024-07-25

DIRECTIONS FOR USE

FOR USE IN RECIRCULATING COOLING WATER SYSTEMS AND BREWERY PASTEURIZERS:

This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level of available chlorine. For the control of Bacteria, Algae and Fungi, add this product to the lower basin, distribution box or some other point to insure uniform mixing. INITIAL DOSE: When the system is notably fouled, add 60 to 120g/1,000L of water in the system to achieve 7.5 to 15.0 mg/L available chlorine by weight. Repeat until control is achieved. SUBSEQUENT DOSE: When microbial control is evident, apply 30 to 60 g/1,000L of water in the system to achieve 3.25–7.50 mg/L available chlorine by weight. Apply treatment weekly or as needed to maintain control. Badly fouled systems must be cleaned before treatment is begun.

Note: The water in the systems treated with this product must not come into direct contact with food or beverage. Residual chemicals from the product on the exterior of the cans, bottles or other containers are effectively removed by potable water wash at discharge end.

FOR SPECIFIC USES IN MUNICIPAL WATER TREATMENT OF SEWAGE AND INDUSTRIAL EFFLUENT: Ask your distributor for technical assistance.

PRECAUTIONARY STATEMENTS

Dangerous gas formed when mixed with acid. Do not mix with any other chemical. Corrosive to eyes and severely irritating to skin. DO NOT get in eyes, on skin or clothing. May be fatal if swallowed. Do not re-enter treated area until two hours after spray or fogging application. Wear goggles or a face shield, chemical-resistant gloves, long pants, a long-sleeved shirt, shoes and socks when handling this product. Immediately remove contaminated clothing and wash before reuse. Avoid breathing vapor or mist; use with adequate ventilation. Wash thoroughly after handling. Avoid contamination of food. Keep container closed and store in upright position in a cool dark location. Product not affected by freezing.

C-3612

MICROBIOCIDAL SOLUTION

FOR USE IN INDUSTRIAL, INSTITUTIONAL, FOOD PROCESSING PLANT, INDUSTRIAL RECIRCULATING COOLING WATER SYSTEMS, FOR MUNICIPAL WATER, TREATMENT OF SEWAGE AND INDUSTRIAL EFFLUENT, AND BREWERY PASTEURIZERS

ACTIVE INGREDIENT:

Available chlorine present as sodium hypochlorite...10.3%

COMMERCIAL GRADE

REGISTRATION NO.: 15891
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

The pictogram for (i) DANGER CORROSIVE

**WARNING POISON
DANGER CORROSIVE TO EYES
AND SKIN**

NET CONTENTS: 25kg pails
 230kg drums
 1200kg totes

PMC Water Systems Services Inc.
Unit 9, 124 Connie Crescent
Concord ON L4K 1L7
(905) 669-8262

FIRST AID:

IF IN EYES: hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: call a poison control center or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

ENVIRONMENTAL PRECAUTIONARY STATEMENT:

Toxic to aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. This registration is granted under the Pest Control Products Act and does not exempt the user from any other legislative requirements. Use of this product and management of any resulting discharge or release of effluents containing this product must also be in accordance with the Fisheries Act and with any other applicable federal or provincial legislation. Consult with provincial regulatory authorities on any authorizations or other requirements for use of this product and management of any resulting discharge or release of effluents containing this product.

STORAGE: Store this product away from food or feed.

DISPOSAL: Triple- or pressure-rinse the empty container. Add the rinsing to the treatment site. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, contact the

2023-7241
2024-07-25

<p>NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the <i>Pest Control Products Act</i> to use this product in a way that is inconsistent with the directions on the label</p>		<p>manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for the clean-up of spills.</p>
---	--	---