

2015-6668
2016-02-15

FARM & RANCH BRAND
RATOXIN[®] RODENT CONTROL BAIT FOR MICE AND RATS - D

RODENTICIDE PELLETS
WITH CORN CELLULOSE

FOR INDOOR USE ONLY

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Cellulose from Powdered Corn Cobs... 42.75%

REG. NO. 29445 P.C.P. ACT

NET CONTENTS: 0.5–20 kg

Premier Tech Brighton Ltd.
1 avenue Premier
Riviere-du-Loup QC G5C 6C1

GENERAL INFORMATION: FARM & RANCH BRAND RATOXIN[®] Rodent Control Bait for Mice and Rats - D is a product for the control of mice and rats. Mice must feed exclusively on **FARM & RANCH BRAND RATOXIN[®] Rodent Control Bait for Mice and Rats - D** for a minimum of 3 days for death to occur, while rats must feed exclusively for a minimum of 8 days for death to occur.

DIRECTIONS FOR USE: Remove all food sources prior to treatment. Place bait stations where there are signs of mouse or rat activity such as fresh droppings or near burrows, runs, feeding places and points of entry. Optimal application times are during periods of limited food supply and high activity. Keep package contents tightly sealed to prevent the bait from acquiring an undesirable odour.

Bait Station Application for Indoor Use (Buildings such as Homes and Barns): Remove all food sources prior to treatment. For the control of mice and rats, use 56.7–85 g of **FARM & RANCH RATOXIN[®] Rodent Control Bait for Mice and Rats - D** in commercially available bait stations. Mice and rats are sporadic feeders, so several bait stations are required. Place bait stations 1.2–1.8 m apart. Inspect bait stations every 48 hours and replace any eaten or spoiled bait. Maintain an uninterrupted supply of fresh bait for at least 6–8 days for mice and at least 8 days for rats, or until signs of mouse or rat activity cease for a period of 2 or more days.

If all bait has been eaten from certain areas, add additional bait stations. DO NOT increase the amount of bait per bait station.

Protect bait stations from non-target animals. To prevent bait from spoiling, bait stations should be placed away from sources of moisture. Replace any wet or spoiled bait. Relocate bait stations to a dry location if necessary.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep away from children, pets, domestic animals and wildlife. It is advisable to wear protective gloves to dispose of any dead mice and rats or handle bait and/or bait stations that have been visited by mice and rats. Always wash hands after handling carcasses or bait and bait stations.

DISPOSAL: Do not reuse empty container. Wrap container and discard in household garbage.

FIRST AID: Get medical attention immediately for any toxic reaction or irritation that persists or is severe. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.