2018-12-20

Blaze Pro Wasp & Hornet Killer Spray

PRESSURIZED CONTACT & RESIDUAL INSECTICIDE SPRAY

Kills wasps, hornets and yellow jackets

Fast Action – Kills On Contact
Reaches nests more than 6 metres (20 feet) above ground
Jet Stream

DOMESTIC

ACTIVE INGREDIENT:

Tetramethrin 0.200% d-phenothrin (Sumithrin TM) 0.125%

REG. NO. 30303 P.C.P. ACT

Net Contents_____

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

DANGER





EXTREMELY FLAMMABLE

EXPLOSIVE

Novella Brands Inc. 120 Midair Court Brampton, ON L6T 5V1 1-905-790-0650 DIRECTIONS FOR USE: Do not use in food handling, storage or preparation areas while food is present. Clean treated surfaces before being used to prepare food.

Use only as directed on this label. Not for use inside dwellings. Shake well before using. Hold can upright before spraying.

For Control of Nests of Wasps, Yellow jackets, and Hornets (in trees or attached to buildings): The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. After 48 hours, wear gloves to remove the treated nest. Foliage of desirable plants that were contacted with spray should be hosed off.

PRECAUTIONS: Keep out of reach of children and pets. Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Causes moderate eye irritation. May irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate food, food containers, utensils, and food preparation areas. This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water during cleaning, or by disposal of wastes. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50° Celsius may cause bursting. Do not apply this product around equipment due to possibility of shock hazard.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Mover person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre of doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.

STORAGE: Store in a cool dry area away from heat or open flame

ENVIRONMENTAL HAZARD: Toxic to aquatic organisms. Toxic to bees. Do not spray bees. This product is intended for use on yellow jackets, hornets & wasps only.