"Outer pail label"

2018-1517 2018-05-30

MASTER LABEL Brigand SB

[Note, possible secondary marketing statement:] Soft Bait Rodenticide

Paste

Kills Norway and Roof Rats & House Mice or Kills Norway and Roof Rats and House Mice with a single feeding Kills Warfarin-Resistant Norway Rats

COMMERCIAL

ACTIVE INGREDIENT: Bromadiolone :......0.005%

REGISTRATION NO. 33117..... PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING WARNING, CONTAINS THE ALLERGEN WHEAT

WARNING



POISON

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

> PelGar International Ltd. Unit 13 Newman Lane Alton, Hampshire GU34 2QR, UK

Canadian Agent: Brent McLennan 69 Evergreen Close SW Calgary, AB T2Y 2X8 610-849-1723 Or write to us: canada@pelgar-usa.com

NET CONTENTS: 3.6 kg to 10 kg

See Back Panel for additional precautionary labeling.

DIRECTIONS FOR USE:

Use Brigand SB for the control of Norway rats, Roof rats and House mice indoors and outdoors within 15 metres of buildings (residential, commercial, industrial, agricultural, public buildings and port or terminal buildings),Rodenticide bait can be placed in tamper-resistant bait stations along the fence line of properties, outside of the 15-metre limit but within 100 metres of buildings, if the station is securely fastened (e.g., nailed down) to the fence or the ground.

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

Use Limitations:

Bait MUST be placed either in tamper-resistant bait stations or in locations not accessible to children, pets, livestock or non-target wildlife.

DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations (tier 3) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

Bait stations (tier 2) used for the placement of rodenticide bait indoors, in locations accessible to pets or livestock must have the following characteristics, in addition to those outlined above for tier 3 bait stations: (1) resistant to destruction by non-target animals; and (2) have an entrance designed so that non-target animals cannot reach the bait.

Bait applied outdoors and above-ground MUST be placed in bait stations. Bait stations (tier 1) used outdoors, above-ground, in locations accessible to children, pets and non-target wildlife must have the following characteristic, in addition to those outlined above for tier 2 and 3 bait stations: (1) be resistant to destruction or weakening by elements of typical non-catastrophic weather (such as, snow, rain, extremes of temperature and humidity, direct sunshine, etc.).

Areas of Use:

<u>Food Processing, Food Manufacturing, Food Storage and Food Service Areas:</u> DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

- For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed.
- For areas where feed or food is processed, served, or stored: In meat and food
 processing plants (processing areas), use only when plant is not in operation. Remove or
 cover all food, packaging material and utensils before placing bait in baiting stations.
 Remove all baits and dead rodents before reuse of the plant (processing areas include
 storage and service.

Selection of Treatment Areas: Determine areas where Norway and/or roof rats and/or house mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats and mice have been seen. Remove as much alternative food as possible. Maintain a steady supply of fresh bait. Protect bait from rain and snow. Remove any spoiled or contaminated bait promptly.

APPLICATION DIRECTIONS:

Each bag of **Brigand SB** contains approximately 10 grams of bait. Eliminate as much of the naturally occurring food as possible within the treatment area.

NORWAY AND ROOF RATS: Apply 8 to 42 bait bags per placement for controlling Norway and Roof rats. Space placements 5 to 10 m apart. Use higher rate in areas with signs of high rat activity. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.

HOUSE MICE: Apply 1 to 2 bait bag(s) per placement for controlling house mice. Space placements 2 to 4 m apart at locations with signs of house mouse activity. Two bags may be needed at points of very high mouse

activity. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease. **Follow-up:** Replace contaminated or spoiled bait immediately. Wearing chemical-resistant gloves, collect and properly dispose of dead animals and leftover bait and bait bags, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, eliminate sources of rodent food, water, and harborage as much as possible. If re- infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

FIRST AID INSTRUCTIONS:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR 5CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Vitamin K1 in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case, measured by establishing prolonged prothrombin times (P.T.), will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE AND DISPOSAL:

Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL:

To protect pets and non-target wildlife, carefully dispose of animals killed by this bait. Wrap poisoned carcasses securely with paper. Dispose of them by: placing in a closed container and taking them to a provincial or municipal landfill site OR burying deep enough to prevent scavengers from reaching them.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

Brigand SB COMMERCIAL

REG. NO. PCP ACT

ACTIVE INGREDIENT: BROMADIOLONE0.005%

WARNING, CONTAINS THE ALLERGEN WHEAT KEEP OUT OF REACH OF CHILDREN



WARNING POISON

READ THE LABEL ON THE OUTER CARTON BEFORE USE

PelGar International Ltd.
Unit 13 Newman Lane
Alton, Hampshire
GU34 2QR, UK
Canadian Agent: Brent McLennan
69 Evergreen Close SW
Calgary, AB T2Y 2X8
610-849-1723

This package not for resale.

"Bait Bag (Sachet) Label"

BRIGAND SB

ACTIVE INGREDIENT: Bromadiolone....0.005% Warning, contains the allergen wheat

WARNING POISON



KEEP OUT OF REACH OF CHILDREN

See outer container for complete directions for use and precautionary statements.

Net Weight: 10 grams

REG. NO...33117. PCP ACT