

2024-2617
2024-08-06

Superior Control Products ®

Net content: 1L

Domestic

MALATHION HOSE-SPRAY

LIQUID INSECTICIDE – MITICIDE

CONCENTRATE

KILLS MANY GARDEN INSECTS

For vegetables, Fruits, Flowers and Ornamentals

READ THE LABEL BEFORE USE

KEEP OUT OF REACH OF CHILDREN

FOR OUTDOOR USE ONLY

Expiry Date : yyyy-mm-dd

This product is not to be sold or applied after the expiry date above

ACTIVE INGREDIENT: Malathion 15%

Danger

(symbol)

Poison

Reg. No. 32471 P.C.P. ACT

Made by :
SUPERIOR CONTROL PRODUCTS INC.
1937 rue Le Chatelier, Laval,

2024-2617
2024-08-06

Qc, H7L 5B3, Canada - (855) 808-2333

2024-2617
2024-08-06

SIMPLY ATTACH TO A GARDEN HOSE AND SPRAY . * NO MEASURING OR MIXING REQUIRED *

DIRECTIONS FOR USE:

FOR OUTDOOR USE ONLY. Apply “MALATHION HOSE-SPRAY” using the hose-end applicator attached, to accurately dilute this concentrated insecticide. Read the complete label for application instructions and precautions.

1. Mix thoroughly before use.
2. Turn water supply on at the source. Ensure that the sprayer is already on the OFF position so that the water pressure will build in the hose.
3. To apply the product, bend safety tab and turn the control valve clockwise to the “ON” position.
4. For best results, hold the sprayer and the bottle level.
5. When spraying is complete, turn the control valve clockwise so that the valve indicator arrow is pointing to the “WATER” position on the sprayer. Flush with water to clean sprayer head, then turn the control valve to “OFF” position. Turn water off. Disconnect hose from applicator and store product in original container.

NOTE: “WATER” position is to be used only for cleaning the sprayer head.

Avoid application of this product when winds are gusty. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

APPLICATION: Vegetables, Fruits, Flowers and Ornamentals: to control aphids, bagworm, beetles, budmoth, cabbage worm, caterpillars, codling moth, currant fruit worm, fruit moth, lace bug, leafhopper, leafminer, leafroller, mealybug, mites, pine shoot moth, pear psylla, plant bug, plum curculio, raspberry fruit worm, tent caterpillars, whitefly.

Spray to wet surfaces of foliage but not run off. Apply at first appearance of insects, Repeat application as required of at 7 day intervals. DO NOT apply within seven days of harvest of edible crops, Leaf lettuce within fourteen days.

Injury may occur to African violet, Crassula, Fern. Petunia, Sabina and Canaerti Juniper. Red Maple, McIntosh and Cortland Apples, Bosc and Bartlett Pears, and Ribier Grapes.

TREATMENT OF OUTDOOR STRUCTURAL FOUNDATIONS ONLY and one (1) meter wide path surrounding the foundation (exterior walls and around buildings)

2024-2617
2024-08-06

CAUTION: Rate of delivery of product will vary depending on water pressure, location, time of day, length and diameter of the hose etc. Complete contents of container (1L) can be sprayed in approximately 3 to 6 minutes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Wear rubber gloves when handling this product. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before use.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid breathing of spray mist and contact with skin and eyes.

ENVIRONMENTAL HAZARDS: TOXIC to birds and aquatic organisms. This product is highly toxic to bees and fish. Avoid contamination of ponds and streams. Spray flowers only in the evening. This product contains a petroleum distillate which is moderately to highly toxic to aquatic organisms. Avoid contamination of aquatic systems during application. Do not contaminate these systems through direct application, disposal of waste or cleaning of equipment.

FIRST AID: DANGER: If swallowed, call a poison control center or doctor immediately for treatment advice. DO NOT induce vomiting unless told to do so by a poison control center or a doctor. DO NOT give any liquid to the person. DO NOT give anything by mouth to an unconscious person. If in eyes, hold the eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes and continue rinsing eye. Call a poison control center or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. This product contains a pesticide that is a cholinesterase inhibitor (anti-cholinesterase compound). Symptoms of human poisoning may include headache, weakness, sweating, blurred vision, nausea and diarrhea. Obtain medical attention or call a poison center at once. Atropine and 2-PAM are antidotal.

STORAGE: DO NOT contaminate water, food or feed by storage or disposal. Keep in original container during storage. Isomalathion, a toxic metabolite of Malathion forms when Malathion product is stored at elevated temperatures or for extended period of time. Malathion product must be stored in a cool (23°C), dry, well-ventilated area away from seed, fertilizer or other pesticides. **Do not use after the expiry date.**

DISPOSAL: Wrap and dispose of empty container with regular garbage. Never reuse the container.

2024-2617
2024-08-06