

2017-3479

2018-04-16

Superior Control Products Inc.

DOMESTIC

READ THE LABEL BEFORE USING

THE ANTS AND INSECTS DESTROYER

For the control of insect pests

Around and inside Homes and Apartments

KEEP OUT OF REACH OF CHILDREN

NET CONTENT: 1 LITER to 2 LITER

DANGER

POISON

GUARANTEE:

PERMETHRIN.....0.25%

Contains benzoic acid, sodium salt at 0.1% as a preservative.

REG No: 33060 P.C.P. ACT

Made by:

Superior Control Products Inc.

3715 La Fayette Street East

Boisbriand, Quebec J7H 1S4 Canada

888-689-2171

2017-3479

2018-04-16

## Side Panel

**DIRECTIONS: TO CONTROL:** Ants, cockroaches, spiders, fleas, silverfish, brown dog ticks. Apply with a paint brush, or as a coarse spray to infested areas. Thoroughly treat cracks, crevices, along base boards, moist areas such as spaces around water pipes and tanks surfaces behind and beneath cabinets and storage areas refrigerators, sinks, stoves and around garbage storage areas. Thoroughly treat animal sleeping quarters (rest area). Allow treated areas to dry thoroughly and replace with clean bedding before allowing use by animals. Do not spray on pets. Apply to ant trails around windows and doors frames and sills and along baseboards adjacent to them. Pay particular attention to cracks and crevices. For spot application only. Do not use as a space spray or broadcast application indoors. This product may stain or damage certain plastic, rubber and asphalt materials such as tiles, floor covering and carpets. Do not apply to tapestries, wall paper or similar materials that may be stained. Apply with caution to surfaces outlines and avoid excessive wetting. Good sanitary practices should be maintained to prevent re-infestation.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with eyes, skin, and clothing and vapour inhalation or spray mist. Wash thoroughly after handling and before eating, drinking. Do not apply to plants, animals or humans, remove pets and fishbowls from area before treatment and do not return them for at least 4 hours after treatment. Do not allow people or pets to come in contact with the treated areas until surfaces are dry. Do not contaminate foodstuffs. Do not use in any area where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored. In home or dwellings, remove or cover all exposed food and cooking utensils before spraying, thoroughly wash all surfaces that might have been in contact with the product before reuse. Do not store or spray near open flames or stove.

**FIRST AID:** If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If inhaled, move the person to fresh air. If the person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

2017-3479

2018-04-16

**TOXICOLOGICAL INFORMATION:** Atropine is antidotal.

**DISPOSAL:** Do not reuse empty container. Wrap empty container and discard in household garbage.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to lakes, rivers, stream, ponds, tidal marshes and estuaries. Do not contaminate the above mentioned aquatic areas through spray drift, cleaning of equipment or disposal of waste. This pesticide is highly toxic to bees exposed to direct treatment or residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Application should be limited to provide the maximum interval between treatment and the next period of bee activity.