

2018-3069

2018-10-09

Neogen Corporation  
620 Leshar Place  
Lansing, MI 48912  
Medical: 1-800-498-5743  
?: 1-800-621-8829

COMMERCIAL  
NET CONTENTS: XX  
READ THE LABEL BEFORE USING  
REGISTRATION No: 32394  
PEST CONTROL PRODUCTS ACT

# Cykill Pellets

**Mouse and Rat Poison for indoor Rodent Control  
Kills House Mice, Norway Rats and Roof Rats**

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day of feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a lethal dose. Cykill Pellets is effective against anticoagulant-resistant mice and rats.

**GUARANTEE:** Bromethalin .....0.01%

Contains bitrex (an extremely bitter tasting substance that has been added to this bait to deter accidental consumption)



**FOR LICENSED PEST CONTROL OPERATORS**  
Only to be used by certified pest control operators, farmer and persons authorized in government-approved pest control programs.

**KEEP OUT OF REACH OF CHILDREN**

**FIRST AID:**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor immediate for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor immediate for treatment advice.

For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN, UNAUTHORIZED PERSONNEL, PETS AND LIVESTOCK**

May be harmful or fatal if swallowed or absorbed through the skin. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when

handling this product. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

#### **TOXICOLOGICAL INFORMATION:**

Cykill Pellets are not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Follow immediately with activated charcoal and saline cathartic orally, repeat every 6-8 hours for at least 72 hours. Activated charcoal has been shown to be effective. Animals showing signs of toxicosis should receive supportive therapy such as maintain body temperature, respiration and electrolytes. Corticosteroids and osmotic diuretics (mannitol) may be beneficial.

#### **DIRECTIONS FOR USE**

**SELECTION OF TREATMENT AREAS:** Determine areas where rodents will most likely find and consume the bait. Generally, these areas are along the walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much alternative food accessible to rodents as possible.

**BAITING STRATEGY:** Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect the tamper resistant bait stations and replenish bait at sites where there is heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

#### **APPLICATION DIRECTIONS:**

Chemical-resistant gloves must be worn while applying this product. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

Cykill Pellets is a new rodenticide completely unlike anticoagulants. Generally rodents will consume a lethal dose in a single feeding with dead rodents appearing one or two days after they eat the bait.

**NORWAY RATS & ROOF RATS:** Apply 28.4 to 170g per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Tamper resistant bait stations should be spaced at 6.0 to 9.0 meter intervals, in locations out of reach of children, pets, domestic animals and nontarget wildlife. The number and location of bait stations should be recorded. The bait is not to be placed outdoors or in areas near farm wells or water reservoirs, or in areas where there is a possibility of contaminating sources of drinking water.

**HOUSE MICE:** Apply 7 to 14 g per placement. Up to 85 g may be needed in placements where heavy feeding is expected. Tamper resistant bait stations should be spaced at 2.4 to 3.7 meter intervals, in locations out of reach of children, pets, domestic animals and non-target wildlife. The number and location of bait stations should be recorded. The bait is not to be placed outdoors or in areas near farm wells or water reservoirs, or in areas where there is a possibility of contaminating sources of drinking water.

**USE LIMITATIONS:** For control of House Mice (*Mus musculus*), Norway rats (*Rattus norvegicus*) and Roof rats (*Rattus rattus*) in homes, industrial and agricultural buildings, and similar man-made structures. Do not use Cykill Pellets in sewers.

**Food Processing, Food Manufacturing, Food Storage and Food Service Areas:** For areas not directly related to food processing: Use only in non-food or non-feed area where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served, or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before reuse of the plant (processing areas include storage and service).

**Bait MUST be placed in tamper-resistant bait stations.**

Bait station (tier 3) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, "WARNING POISON", and the skull and crossbones symbol.

These bait stations must be placed in locations out of the reach of children, pets, domestic animals and non-target wildlife. Do not place tamper-resistant bait stations in areas where there is a possibility of contaminating food or surfaces that come in contact with food.

**STORAGE AND DISPOSAL:** Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

**DISPOSAL:** Do not reuse empty container. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. Licensed pest control operators collect and properly dispose of all dead rodents and leftover bait. Dispose of unused, spoiled bait and dead rodents in accordance with Provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.