

2018-1659  
2018-11-26

## Wasp & Hornet Blaster

This product can be used to kill Wasp, Hornet, and Yellowjacket nests, in trees or attached to buildings.

Kills Wasps, Yellowjackets, and Hornets on contact

Gives rapid knockdown and kill of Wasps, Yellowjackets, and Hornets

Gives rapid contact kill and residual kill of wasps and hornets returning to the treated nest

Reaches nests more than 20 feet above ground

Dielectric Breakdown Voltage: 41.0 KV by ASTM Test Method D-877-87

DOMESTIC

REG. NO. 30302 P.C.P. ACT

Net Contents \_\_\_\_\_

READ THE LABEL BEFORE USING

### ACTIVE INGREDIENT:

Tetramethrin .....	0.200%
d-phenothrin (Sumithrin™).....	0.125%

KEEP OUT OF REACH OF CHILDREN

DANGER



EXTREMELY FLAMMABLE EXPLOSIVE

## LLOYDS LABORATORIES INC.

613 Neal Drive,

Peterborough, Ontario, Canada, K9J 6X7

Tel: (705) 876-9997

### DIRECTIONS FOR USE

USE ONLY AS DIRECTED ON THIS LABEL

NOT FOR USE INSIDE DWELLINGS

Shake well before using. Hold can upright before spraying. Do not use tetramethrin in food handling, storage or preparation areas while food is present. Use only for spot, perimeter or crack and crevice applications. A spot treatment is made to a localized surface area not greater than 0.2 m<sup>2</sup>. Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (for example, floors, walls, ceilings). A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (for example, baseboards, moulding). An exterior perimeter/band application of a pest control product is made as a band or strip less than 1 m wide. Residential areas are defined as any use site where the general public, including children, could be

2018-1659  
2018-11-26

exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings or any other areas where the general public including children may potentially be exposed.

**For Control of Nests of Wasps, Yellowjackets, and Hornets:** The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. After 48 hours, wear gloves to remove treated nest. Foliage of desirable plants that were contacted with spray should be hosed off.

Do not treat when food is present. Clean treated surfaces before being used to prepare food.

**USE PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS.** Harmful if swallowed or absorbed through skin. Do not breathe vapours or spray mist. Causes moderate eye irritation. May irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate food, food containers, utensils, and food preparation areas. This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water during cleaning, or by disposal of wastes. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50° C may cause bursting. Do not apply this product around equipment due to possibility of shock hazard. Remove animals for a minimum of 1 hour when spraying room. Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry.

**FIRST AID:** If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

**ENVIRONMENTAL HAZARDS:** Toxic to aquatic organisms. Toxic to bees. Do not spray bees. This product is intended for use on yellow jackets, hornets and wasps only.

**DISPOSAL:** Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.

2018-1659  
2018-11-26

**STORAGE:** Store in a cool dry area away from heat or open flame.