This label has been updated according to the re-evaluation decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 09-02-2024 in accordance with the phase out period set out in the re-evaluation/special review decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

Doktor Doom Insect Killer for Use on Indoor and Outdoor Ornamental Plants

SOLUTION

For use on indoor ornamental houseplants and greenhouse ornamental plants to kill aphids, green peach aphids, whiteflies.

DO NOT use in commercial greenhouses.

For use on outdoor ornamental plants to kill aphids, flea beetles, green peach aphids, Japanese beetles, leafhoppers, leaf tiers, fall webworms whiteflies.

DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs)

DOMESTIC

ACTIVE INGREDIENTS:
Pyrethrins ... 0.02%
Piperonyl butoxide ... 0.20%

REG. NO.: 32095 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USING

POTENTIAL SKIN SENSITIZER

Net Contents: 500 mL – 4 L

753146 AB Ltd o/a Ultrasol Industries 10755-69 Ave NW Edmonton, AB T6H 2C9 780-432-6535 2023-2300 2023-07-20

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

Apply with conventional mechanical or compressed air equipment such as a hand-held trigger sprayer, hand sprayer or backpack sprayer. This product may be used indoors on listed ornamental plants. It may also be used outdoors and in greenhouses on listed ornamental plants throughout the growing season.

FOR USE ON INDOOR ORNAMENTAL HOUSEPLANTS AND GREENHOUSE ORNAMENTAL PLANTS

To kill aphids, green peach aphids and whiteflies on African violet, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlia, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, gladioli, kentia palm, laurel, marigold, rhododendron, rose, rubber plant, snapdragon, stock, wandering jew and zinnia: DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs). DO NOT use in commercial greenhouses. When listed pests are a problem, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. When spraying, hold sprayer 20-30 cm from plants to avoid wetting the foliage. To enhance effectiveness of this product, apply directly to the listed pests where possible. DO NOT exceed 25 ml/m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

FOR USE ON OUTDOOR ORNAMENTAL PLANTS

USE LIMITATIONS

DO NOT apply to plants grown for food or feed (e.g., fruits, vegetables, herbs).

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Avoid application of this product when winds are gusty.

To kill aphids, flea beetles, green peach aphids, Japanese beetles, leafhoppers, leaf tiers, fall webworms whiteflies on African violet, asters, azaleas, begonias, camellias, carnations, chrysanthemums, crassula, dahlia, delphiniums, dogwood, English ivy, euonymus, fuchsia, geraniums, gladioli, kentia palm, laurel, marigold, rhododendron, rose, rubber plant, snapdragon, stock, wandering jew and zinnia: When listed pests are a problem, spray to thoroughly cover all foliage, including upper and lower leaf surfaces until damp. DO NOT wet plants to the point of runoff or drip. When spraying, hold sprayer 20-30 cm from plants to avoid wetting the foliage. To enhance effectiveness of this product, apply directly to the listed pests where possible. DO NOT exceed 25 ml/m². Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Apply in early morning or evening – not in direct sunlight. Spray only when air is still and temperature is below 32°C. Use with caution on new growth and on tender young plants and foliage. Test on one or two leaves to determine safety.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash thoroughly with soap and water after using. When spraying indoors

2023-2300 2023-07-20

cover fish bowls and remove pets for one hour. Remove or cover all exposed foods and cooking utensils before spraying. DO NOT use on Maiden Hair Ferns. DO NOT contaminate water by cleaning of equipment or disposal of wastes.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move the person to fresh air. If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. DO NOT induce vomiting unless told to do so by a poison control centre or doctor. Have the person sip a glass of water if able to swallow. DO NOT give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Store this product away from food or feed.

DISPOSAL

DO NOT reuse the empty containers. Wrap container and dispose of in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

2023-2300 2023-07-20

OPTIONAL LABEL STATEMENTS

Ready to Use
Shake Well – Water-based
Non-flammable
Liquid pump spray
Contains Sodium benzoate at 0.20% as a preservative
0.02% Pyrethrins from Chrysanthemum Flower Pyrethrum
100% Canadian owned and operated