

Sharda Glufosinate Ammonium Technical Herbicide

FOR USE IN MANUFACTURING, FORMULATING OR REPACKAGING

Solid

ACTIVE INGREDIENT:

Glufosinate Ammonium 99.4 %

READ THE LABEL BEFORE USING
**KEEP OUT OF THE REACH OF CHILDREN AND PREVENT ACCESS BY
UNAUTHORIZED PERSONNEL**

REGISTRATION NO. 31957 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 25 kg - Bulk

Sharda Cropchem Limited
2nd Floor, Prime Business Park
Dashrathlal Joshi Road
Vile Parle (West) Mumbai -
400056, India

Canadian Agent:
Shardacan Limited
Blue Cross Centre Suite 500
644 Main Street
Moncton NB E1C 1E2
1-888-760-0187

Canadian Agent:
Sharda Cropchem Limited
63 Kingsview Blvd
Etobicoke, Ontario, CA
M9R1V1
1-844-810-5720
1-416-840-5639

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Fatal or Poisonous if swallowed. Harmful if inhaled. Avoid contact. Avoid inhaling/breathing dusts and sprays. Wash thoroughly after using or before eating or smoking. Wear protective clothing including goggles and respirator when handling technical material.

FIRST AID

IN CASE OF POISONING Contact a physician or a poison control centre IMMEDIATELY.

IF SWALLOWED Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN/CLOTHING Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Initial signs of poisoning include vomiting, diarrhea and nausea. Neurological symptoms (which may include impaired consciousness, convulsions, tremor, and coma) may appear suddenly without prior warning, with a delay (latency period) of 8 to 48 hours. Induction of vomiting is not recommended. It should only be considered if a large amount has been swallowed, if the ingestion occurred within the previous hour, and if the patient is fully conscious. Gastric lavage should be considered within the first 2 hours after ingestion. As there is no specific antidote, treatment should be symptomatic and supportive. In case of convulsions, benzodiazepines should be given. If not effective, phenobarbital can be used.

STORAGE

Keep in original container during storage. Do not contaminate or store near feed, seeds, or foodstuffs. Keep away from fire, open flame, or other sources of heat. Do not store at temperatures below 0 °C or above 50 °C. Normal storage temperatures should be between 5-30 °C..

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

DIRECTIONS FOR USE

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.