**CARTON** 

## WILSON® MOUSE OUT<sup>TM</sup> REUSABLE MOUSE BAIT STATION KIT WITH WARFARIN

RODENTICIDE
Kills House Mice
Lockable Bait Station - Includes locking key

This bait station is resistant to tampering by children.
Use indoors only.

#### **DOMESTIC**

REG. NO. 30836 P.C.P. ACT

ACTIVE INGREDIENT: Warfarin 0.025% Warning: contains the allergens milk and wheat. Contains malathion at 0.0019%, calcium propionate at 0.4% and sodium benzoate at 0.4% as preservatives.

### READ THE LABEL BEFORE USING DO NOT ALLOW CHILDREN OR PETS TO HANDLE BAIT OR BAIT STATION

28 - 454 g

[1 reusable bait station and 1 x 28-g – 16 x 28-g bait blocks]

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc. 1 avenue Premier, Rivière-du-Loup, QC G5R 6C1 1-800-268-2806 Wilson® Mouse Out™ Reusable Mouse Bait Station Kit with Warfarin contains an anticoagulant chemical that reduces the clotting ability of the blood. After several feedings house mice die from fatal haemorrhage.

#### **DIRECTIONS FOR USE:**

- 1 Insert the short, smaller end of the plastic key into the hole or opening located in the clear lid of the bait station. The key should remain "upright" on its own if properly inserted into the bait station.
- 2 Turn the key one-quarter turn, in either direction, until you feel the key tighten. Once the key tightens, gently lift the key to open the bait station. Remove the key.
- 3 Place one bait block in the square compartment.
- 4 Close lid until it snaps making certain that station is locked.

**For House Mice** (*Mus musculus*): Remove alternative sources of food. Place bait feeding stations in locations frequented by house mice such as near holes or runways against walls or in corners where house mice are seen. A shallow container of drinking water encourages consumption of bait. Place bait stations at 2 to 5-m intervals, using the smaller interval in locations where there is high level of house mouse activity observed. An uninterrupted supply of bait should be maintained for at least 15 days.

**USE LIMITATIONS:** Bait MUST be placed in tamper-resistant bait stations. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated on this label. DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS, DOMESTIC ANIMALS OR NON-TARGET WILDLIFE.

**PRECAUTIONS:** KEEP AWAY FROM CHILDREN, PETS AND LIVESTOCK. May be harmful or fatal if swallowed or absorbed through the skin. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait, bait stations and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. KEEP AWAY FROM FEED AND FOODSTUFFS. Keep out of lakes, streams or ponds.

FIRST AID: This product contains an anticoagulant chemical which, if taken accidentally by humans, domestic animals, pets or wildlife, may reduce the clotting ability of the blood and haemorrhage may result. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian.

**TOXICOLOGICAL INFORMATION:** Vitamin  $K_1$  in the form of intramuscular or subcutaneous injections or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**STORAGE:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

**DISPOSAL:** Wrap used or damaged bait stations and discard in household garbage. DO NOT use damaged bait stations. Do not reuse empty container. Recycle empty carton. Dispose of dead rodents in garbage or by burying.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com

#### **OPTIONAL MARKETING STATEMENTS**

Clear lid allows bait to be seen
Clear lid for monitoring bait
Covered design
Tamper-resistant
Keeps bait out of reach of children
Kills house mice

# WILSON® MOUSE OUT<sup>TM</sup> REUSABLE MOUSE BAIT STATION KIT WITH WARFARIN

REG. NO. 30836 P.C.P. ACT

ACTIVE INGREDIENT: Warfarin 0.025% Warning: contains the allergens milk and wheat. Contains malathion at 0.0019%, calcium propionate at 0.4% and sodium benzoate at 0.4% as preservatives.



Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc. 1-800-268-2806