

2017-8001
2018-01-30

CORAL SPA

ACTION

Stabilized Chlorinating Tablets

For Sparkling Water

Controls Bacteria and Algae in Spa Waters

ACTIVE INGREDIENT : Available Chlorine, present as trichloro-s
triazinetriene.....91%

DOMESTIC

REG. NO. 30048

P.C.P. ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

WARNING

POISON

CORROSIVE TO EYES and SKIN

NET CONTENTS: **100 g to 10 kg**

10-200 g per tablet

RBF INTERNATIONAL LTÉE/LTD
780, RUE NOBEL
SAINT-JÉRÔME
(QUÉBEC) CANADA J7Z 7A3
1 800 433-0590

DIRECTIONS FOR USE

Weight per Tablet: 20 g

WARNING

Direct tablet contact may cause bleaching of spa surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other spa sanitizers to avoid the probability of an explosion.

1. Maintain recommended daily levels as determined by testing kit.

Free available chlorine: 3.0–5.0 ppm

pH: 7.2–7.8

Total alkalinity: 125–150 ppm

Calcium hardness: 150–200 ppm

If using an automatic chlorinator, fill the chamber(s) with **CORAL SPA ACTION** tablets and adjust flow rate, according to manufacturer's recommendations, to maintain proper chlorine residual. Adding **CORAL SPA ACTION** tablets to the pool's skimmer basket is an alternative chlorine feed method.

2. Superchlorinate a freshly filled spa by adding 20 g of **CORAL SPA ACTION** per 1000 L of spa water. Maintain water circulation at least 1 hour before using (always measure your free available chlorine level before using the spa to make sure it falls within the recommended levels). Repeat superchlorination procedure after each use period.
3. Maintain proper chlorine residual by adding 10 g of **CORAL SPA ACTION** per 1000 L of spa water, daily or as needed.

Persistent foam formation, turbid, or malodorous water are indicators of inadequate sanitizer levels. To correct such conditions, superchlorinate spa water by adding 30 g of **CORAL SPA ACTION** per 1000 L of spa water. Maintain circulation at least 1 hour and wait 4 hours before using the spa (always measure your free available chlorine level before using the spa to make sure it falls within the recommended levels). Superchlorination with **CORAL SPA ACTION** will reduce total alkalinity. Make sure total alkalinity remains within the recommended levels.

4. **CORAL SPA ACTION** contains stabilizer (cyanuric acid) which will accumulate in spa water. The use of **CORAL SPA ACTION** to superchlorinate spa water will rapidly increase the stabilizer level. Keep stabilizer within 30–100 ppm range by dilution with fresh water.
5. For proper sanitation, spa must be completely drained periodically. The number of days between COMPLETE SPA DRAINAGE is equal to the volume of spa water in litres, divided by 10 times the maximum number of daily spa users. Refill spa with water and repeat directions for use.
6. Maximum spa water usage temperature is 40°C. Duration in spa water at 40°C should not exceed 15 minutes.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Strong oxidizing agent. May cause fire or explosion if contaminated. Dangerous gas formed when mixed with acid. Do not mix with any other chemical. CORROSIVE for eyes and skin. Avoid contact with skin and eyes. It is recommended to wear rubber gloves when handling this product. Harmful or fatal if swallowed. Keep container closed and store in a cool, dry location.

DISPOSAL

Do not re-use empty container. Wrap and dispose of empty container with household garbage. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID

IF IN EYES, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.