

2023-1414

2024-01-11

This label has been updated according to the re-evaluation decision of Corn Gluten Meal RVD2023-02. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 01-16-2025 in accordance with the phase out period set out in the re-evaluation decision of Corn Gluten Meal RVD2023-02. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

[FRONT PANEL - ENGLISH]

Natural Active Ingredient*

Beautiful Lawns Since 1924™

VIGORO®
WEED PREVENT
CORN GLUTEN MEAL

HERBICIDE
DOMESTIC
Solid

Pre-emergent dandelion and large crabgrass
weed seed germination inhibitor

APPLY EARLY SPRING AND LATE SUMMER BEFORE WEEDS APPEAR
WORKS THE FIRST TIME OR YOUR MONEY BACK!

ACTIVE INGREDIENT: Corn gluten meal 99.975%

Warning, contains the allergen sulfites

REG. NO.: 31835 PCPA

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAUTION EYE IRRITANT
POTENTIAL SENSITIZER

5-25 kg

Home Depot Garden Club

Sign up online for member exclusives:

- Special savings & coupons
- Expert advice
- Helpful tips
- Gardening community

www.homedepot.ca/gardenclub

**If used inappropriately, any pest control product, including those with natural ingredients, may have health, safety or environmental risks: use this product only in accordance with label instructions.*

Scotts Canada Ltd.
2000 Argentia Road
Plaza 2, Suite 300
Mississauga, Ontario
L5N 1V8

[BOTTOM & SIDE GUSSET - ENGLISH]

Beautiful Lawns Since 1924™

**VIGORO®
WEED PREVENT
CORN GLUTEN MEAL**

[BACK PANEL - ENGLISH]

**VIGORO®
WEED PREVENT
CORN GLUTEN MEAL**

Vigoro® Weed Prevent Corn Gluten Meal may inhibit dandelion and large crabgrass seed germination when used in conjunction with a sound lawn maintenance program. Established dandelion and large crabgrass at the time of application will not be inhibited. This product is formulated for use in residential lawns where established perennial ryegrass and Kentucky blue grass is the predominant grass species.

DIRECTIONS FOR USE:

- Not recommended for use with a fertilizer containing nitrogen.
- The inhibitory effect of the product to weed seeds generally dissipates in five weeks following application.
- Do not apply under windy conditions.
- Do not apply the product on newly seeded grass as it may inhibit seeds from germinating, wait until after first mowing when the grass root systems are established.
- Do not apply this product if over-seeding or re-sodding in the spring or fall.

Before You Apply

- Determine size of area to be treated - measure length and width in metres or feet, then multiply to determine coverage area in square meters or feet (length x width). **Next, subtract non-lawn areas.**
- For best results, apply with a Scotts® spreader at the recommended setting listed.
- Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on your driveway, sidewalk or street back onto your lawn.

[illustration]

[DETERMINE SIZE OF AREA TO BE TREATED]

SPREADER SETTINGS:

Scotts® Broadcast/Rotary Spreaders	15 (Go over lawn twice)
---	----------------------------

[Illustration of spreading pattern]

- If not using a Scotts® spreader, apply at the rate of 9.8 kg per 100 sq. metres (20 lb per 1,000 sq. feet).

When To Apply

- Apply in spring before dandelion and large crabgrass seeds have germinated.
- For best results: Apply to established lawns twice a year; once in the early spring 2 weeks before weed seed germination, and once in the late summer or early fall after heat stress has passed.
- Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, irrigation is required. Excessive moisture at time of treatment may reduce the effectiveness of the product.

How To Apply

- **Fill & Set**

Set the spreader to the appropriate setting indicated. Settings are figured at 9.8 kg per 100 sq. metres (20 lb per 1,000 sq. feet). Place your spreader on a driveway or other paved surface when filling. This guards against spillage on grass. Be sure the spreader is closed when filling it.

- **Apply:**

For even coverage, begin walking before you turn spreader on to the open position so as to avoid dropping product in one spot. To avoid gaps and streaks, spread around border of lawn first and then fill in centre with uniform, parallel passes. Walk at a steady pace for an even application. **NEVER APPLY BY HAND. Water in after application.**

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Keep pets off the treated area until a thorough watering or rainfall moves the applied product into the thatch layer. May cause sensitization. Vigoro® Weed Prevent Corn Gluten Meal should not be applied if the applicator or a member of the household has a sensitivity or allergy to corn. Avoid contact with skin, eyes or clothing. Avoid inhaling/breathing dusts. For good hygiene practice, wear a long-sleeved shirt, long pants, closed footwear, waterproof gloves, and a dust mask when handling and applying the product.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **IF ON**

SKIN OR CLOTHING: Take off contaminated clothing. Wash skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED:** Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep in cool, dry conditions. Store this product away from food or feed, seed, fertilizer and other pesticides.

DISPOSAL: DO NOT reuse empty container. Dispose the empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

IMPORTANT: Follow directions as indicated on this quality lawn care product as over application may cause injury to your lawn. Spreader application rates may vary due to condition of spreader, speed at which applied and roughness of area treated. Be sure to check spreader before beginning, adjusting if necessary. Consult Owners' Manual.

VIGORO® GUARANTEE

If you apply Vigoro® Weed Prevent Corn Gluten Meal as directed and are not completely satisfied, send proof of purchase from this package and the original cash register receipt to the address on this label. We will refund the purchase price you paid.

Visit us on the Internet or
call our Customer Satisfaction Hotline
www.homedepot.ca or 1-866-779-5850

[OPTIONAL STATEMENTS]

- [FOR 9.1 kg (20 lb)] Covers 93 sq. metres (1,000 sq. feet)]
- [FOR 18.2 kg (40 lb)] Covers 186 sq. metres (2,000 sq. feet)]