2023-2813 2023-06-22 Last approved 2013-2080, 2017-08-11

#### **AZAMETHIPHOS TECHNICAL**

SOLID

# INSECTICIDE

### FOR MANUFACTURING OR FORMULATING USE ONLY

ACTIVE INGREDIENT:

# READ LABEL BEFORE USING

# PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

WARNING POISON

**EYE IRRITANT** 

POTENTIAL SKIN SENSITIZER



# HARMFUL AND DANGEROUS TO THE ENVIRONMENT

REGISTRATION NUMBER 32505 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 25 kg

Benchmark Animal Health Limited For product inquiries please contact the following: TSG Canada Inc. 49-3278 Colonel Talbot Rd London ON N6P 1H4 519-203-3056 2023-2813 2023-06-22 Last approved 2013-2080, 2017-08-11

# NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Product Act* to use this product in a way that is inconsistent with the directions on the label.

# **FIRST AID**

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

### TOXICOLOGICAL INFORMATION

Azamethiphos is an organophosphate that is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include headache, nausea, dizziness, sweating, salivation, runny nose and eyes. This may progress to muscle twitching, weakness, tremor, incoordination, vomiting, abdominal cramps and diarrhea in more serious poisonings. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as pralidoxime chloride, may be therapeutic if used early; however, use only in conjunction with atropine. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

#### PRECAUTIONS

#### PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

Harmful or fatal if swallowed. Harmful if inhaled. Avoid inhaling/breathing dust. May irritate eyes. Avoid contact with eyes. Potential skin sensitizer. Wash thoroughly with soap and water after handling the product and before eating drinking, chewing gum, using tobacco or the toilet. Wash all contaminated clothing with soap and hot water before next use.

When handling wear goggles or face shield, coveralls, PVC or nitrile rubber gloves, rubber boots and respirator approved for protection against pesticides.

# **ENVIRONMENTAL PRECAUTIONS**

Toxic to aquatic organisms. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

### STORAGE

Store in sealed containers away from frost, direct sunlight and sources of heat and ignition. Store above 0°C. Store away from food and feed.

# DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

### DIRECTIONS FOR USE

To be used only in the manufacture of an insecticide which is registered under the *Pest Control Products Act*.