

2015-1236
2015-04-24

PLANT-PROD[®]
ULTIMATE[™]
GARDEN WEED PREVENTER -
FLOWER GARDENS

For inhibition of grass and broadleaf weed seed germination
in flower gardens

Granular
Herbicide

DOMESTIC

REG. NO. 31662 P.C.P. ACT

GUARANTEE: Corn Gluten Meal 100%

READ LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAUTION - EYE IRRITANT
POTENTIAL SENSITIZER

500 g to 2 kg

Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc.,
P.O. Box 21001, Brantford, ON N3R 7W9
1-800-268-2806

[OPTIONAL TEXT – Primary Panel]
Covers 6.6 m² (71 sq.ft.)
Product sold by weight
Content may settle

Pre-emergent inhibition of Annual Blue Grass, Black Medic, Black Night Shade, Buckhorn Plantain, Catchweed Bedstraw, Common Lambsquarters, Creeping Bentgrass, Curly Dock, Dandelion, Giant Foxtail, Large Crabgrass, Orchard Grass, Purslane, Redroot Pigweed, White Clover, Smooth Crabgrass seed germination in flower gardens.

DIRECTIONS FOR USE: Slide container lid cover to the 1st or 2nd notch opening. Apply this product evenly between rows or around established garden plants at a rate of 300g per m². Established weeds at time of application will not be inhibited. Do not apply the product directly on seeded areas as it may inhibit seeds from germinating. **For Best Results:** Remove emerged weeds since Plant-Prod[®] Ultimate[™] Garden Weed Preventer – Flower Gardens only inhibits seed germination and does not kill existing weeds. Apply when soil is moist and when rain is forecasted within 2 days of treatment. If rainfall does not occur within 2 days of treatment, light watering is required. Light incorporation with a rake may improve results. Excessive moisture at time of treatment may reduce the effectiveness of the product. When seeding new gardens, plant seeds in rows and apply this product in between rows. Reapply every 4-6 weeks depending on the density (bare soil exposure) of the garden. Do not apply under windy conditions. The inhibitory effect of the product to weed seeds generally dissipates in five weeks following application.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause sensitization. Avoid contact with eyes, skin or clothing. Avoid inhaling/breathing dusts. Should not be applied if the applicator or a member of the household has a sensitivity or allergy to corn. Keep pets away from treated areas until the applied product is no longer visible.

FIRST AID: **If swallowed,** call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE: Keep in cool, dry conditions away from seed, fertilizer and pesticides.

DISPOSAL: Do not reuse empty container. Wrap and dispose empty container with household garbage.

Plant-Prod[®] Master Plant-Prod Inc. / Ultimate[™] Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc.

For additional product information, or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.