Momfluorothrin Flying and Crawling Insect Killer Spray FOR INDOOR AND OUTDOOR USE

DOMESTIC

READ THE LABEL BEFORE USING

ACTIVE INGREDIENTMomfluorothrin	0.1%
d-Phenothrin	0.2%

REGISTRATION NO. 31484 PEST CONTROL PRODUCTS ACT







POISON, EXPLOSIVE and FLAMMABLE KEEP OUT OF REACH OF CHILDREN

SUMITOMO CHEMICAL CO., LTD 27-1, Shinkawa, 2-Chome, Chuo-ku Tokyo 104-8260, JAPAN

Canadian Agent:

Valent Canada, Inc. 201-230 Hanlon Creek Blvd

Guelph, Ontario For product information: (519) 767-9262

Net Contents: 200 grams in pressurised metal spray container

FOR RESIDENTIAL INDOOR AND OUTDOOR USE TO KILL ANTS, COCKROACHES, HORNETS, HOUSE FLIES, MOSQUITOES, PAPER WASPS, SPIDERS, STABLE FLIES AND YELLOW JACKETS ON CONTACT.

DIRECTIONS FOR USE

Shake Before Use – Hold container upright and apply in short bursts. Always spray away from yourself and avoid spraying at other people or pets. Do not allow adults, children, or pets to enter the treated areas until sprays have dried. Do not use in food handling, storage or preparation areas while food is present. Apply as a spot or crack and crevice treatment only. Do not apply as a space spray or broadcast treatment. Do not treat furniture. Do not use in automated applicator systems such as misters. Users should test a small, inconspicuous area first to ensure there are no adverse effects such as staining, discolouration or corrosion prior to treating an entire area.

1 can (200 grams) treats 3.25 m² (35 ft²).

Do not treat more than every 3 days.

FOR INDOOR USE IN: Homes, apartments, basements, attics, garages, kitchens, bathrooms, and other household areas.

To kill listed pests found on surfaces:

Aim nozzle and directly spray as many pests as possible. Spray until slightly damp onto walls or floors or into cracks and crevices and other areas where these pests may hide; such as under sinks, behind stoves and refrigerators and around plumbing service. To kill ants, treat ant trails, around doors and windows and areas of entry. Repeat after 3 days if pests continue to be a problem.

DO NOT apply as a broadcast application . ONLY perimeter/spot or crack and crevice is permitted. Perimeter /spot application is defined as an application in a wide band or strip around the perimeter of the room or over a small area ($<2 \text{ ft}^2/0.2 \text{ m}^2$). Crack and crevice applications are defined as application with the use of a pin stream nozzle. into cracks and crevices in which pests hide or through which they enter a building. Application to upholstered furniture must be limited to tufts and seams or spot treatment.

FOR OUTDOOR USE:

Do not apply within 7.6 m (25 feet) of saltwater.

To kill listed pests found on surfaces: Spray exterior surfaces of building(s), tree trunks, patios and other outdoor surfaces where pests are seen until surface is slightly damp. Aim nozzle and directly spray as many pests as possible. Spray into cracks and crevices and other hidden areas where these pests may hide.

2019-1816 2019-06-05

Do not overspray. Spray ant trails if ants are seen. Repeat after 3 days if pests continue to be a problem.

Momfluorothrin Flying and Crawling Insect Killer Spray is not for use against nests of ants, wasps, hornets or yellow jackets. DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

FIRST AID IF SWALLOWED

- Call poison control centre or doctor immediately for treatment advice.
- Do not give **any** liquid to the person. Do not induce vomiting unless told to do so by the poison control centre or doctor.
- Do not give anything by mouth to an unconscious person.

IF INHALED

- Move person to fresh air.
- If not breathing, call 911 or an ambulance, and then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with water for 15-20 minutes.
- Call a poison control centre or doctor for treatment advice.

IF IN EYES

- Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, and then continue rinsing eye(s).
- Call a poison control centre or doctor for treatment advice.

Take the container, label or the product name and *Pest Control Product* Registration Number with you when seeking medical attention.

HOTLINE NUMBERS

For emergency information call the National Pesticide Information Center at 1-800-858-7378, 6:30 AM to 4:30 PM.

TOXICOLOGICAL INFORMATION

Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN Hazards to Humans and Domestic Animals

Harmful if inhaled. Avoid inhaling vapour. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

CONTENTS UNDER PRESSURE

ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms.

TOXIC to bees. This product is intended for use on yellow jackets, hornets and wasps only.

STORAGE

Store in a cold dry place, away from heat and open flames, in an area inaccessible to children. To prevent contamination store this product away from food or feed.

DISPOSAL

DO NOT reuse the empty containers. Dispose in household garbage.

Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.