SANI MARC

EZ BLOCK

ALGAECIDE Tablet

KILLS ALGAE IN SWIMMING POOL WATER

DOMESTIC REG. NO. 32653 P.C.P. ACT GUARANTEE:

N-Alkyl (40% C₁₂, 50% C₁₄, 10% C₁₆) dimethyl benzyl ammonium chloride.......70%

DANGER: POISON





CORROSIVE TO EYES AND SKIN
NET CONTENTS
25- 150G/ TABLET
READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN
Sani-Marc, 42 rue de l'Artisan
Victoriaville, Quebec, Canada G6P 7E3
1-866-470-7264

2015-7064 2017-05-26

EZ BLOCK destroys and prevents the formation of algae in pool water. Its innovative long-acting solid form allows for safer handling. Its pre-dosed concentrated formula is easy to use and store.

DIRECTIONS FOR USE

METHOD OF APPLICATION: Use in a floating dispenser or place in skimmer. Do not place directly in pool.

- 1. Initial dosage for pool water having no visible algae is 28 g of EZ Block per 10,000 L of pool water.
- 2. Weekly maintenance dosage is 14 g of EZ Block per 10,000 L of pool water.
- 3. For pool water having visible algae, superchlorinate following label instructions of superchlorination product employed and wait at least 24 hours before adding weekly maintenance dosage.
- 4. For visible algae, when superchlorination is not employed, add 70 g of EZ Block per 10,000 L of pool water.

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN. Fatal or Poisonous if swallowed. May be harmful if absorbed through the skin. May be fatal if inhaled. CORROSIVE to the eyes and skin. DO NOT get in eyes or skin. Wash hands thoroughly after use. Do not mix with any other chemical. Wear goggles and rubber gloves when handling. Avoid contamination of food.

DISPOSAL

Do not reuse empty container. Rinse container thoroughly before discarding. Wrap and dispose of empty container with household garbage. For information on the disposal of unused or unwanted products, contact the manufacturer or the provincial regulatory agency. Also contact the manufacturer or provincial regulatory agency in the event of a spill and for the clean-up of spills.

FIRST AID

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation persists, get medical attention. Call a poison control centre or doctor for treatment advice

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

Probable mucosal damage may contraindicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public waters.