# RIPCORD<sup>™</sup> 400 EC BULK INSECTICIDE

# FOR MANUFACTURING, FORMULATING OR REPACKAGING

# EMULSIFIABLE CONCENTRATE

ACTIVE INGREDIENT: Cypermethrin ...... 407 g/L

REGISTRATION NO. 30353

PEST CONTROL PRODUCTS ACT



DANGER

POISON

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONEL

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673

# NET CONTENTS: Bulk

BASF Canada Inc. 5025 Creekbank Road Building A, 2<sup>nd</sup> Floor Mississauga, Ontario L4W 0B6

(289) 360-1300

RIPCORD is a trademark of BASF SE, used under license by BASF Canada Inc.

2022-0975 2022-03-04

# DIRECTIONS FOR USE

To be used only in the manufacture of an insecticide registered under the *Pest Control Products Act*.

# PRECAUTIONS

# PREVENT ACCESS BY UNAUTHORIZED PERSONEL.

Harmful or fatal if swallowed. Maybe harmful if absorbed through the skin.

Severely irritating to eyes. Causes skin irritation and sensitization. Avoid contact with eyes, skin and clothing.

Avoid breathing spray mist.

Wear long sleeved protective clothing and gloves when handling. Wear face shield or eye goggles when mixing. Wash thoroughly after handling and before eating or smoking.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

#### ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms. This product is also very toxic to fish, bees and other beneficial insects. Do not contaminate these systems through disposal of waste or cleaning of equipment.

#### **FIRST AID**

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

2022-0975 2022-03-04

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### TOXICOLOGICAL INFORMATION

Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Treat symptomatically.

The treatment of systemic intoxication should be primarily symptomatic and supportive. In cases of ingestion, carry out gastric lavage with care to prevent aspiration.

## STORAGE

Keep in original container during storage.

Do not contaminate or store near feed or foodstuffs.

Keep product away from fire, open flame, lighted electric bulbs and other sources of heat.

# DISPOSAL

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

#### NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.