Bait station

Superior Control Products Super Ant Killer II Ant bait station

DOMESTIC

## REG. NO. 33285 P.C.P. ACT

#### ACTIVE INGREDIENT: Borax 5.4% Contains sodium benzoate at 0.25% as a preservative

# READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

4 x 20mL 8 x 20ml 12 x 20ml

Superior Control Products 1937 rue Le Chatelier, Laval, Qc, H7L 5B3, Canada - (855) 808-2333

www.superiorcontrolproducts.com

Made in Canada

**DIRECTIONS:** See outer carton for complete directions.

CARTON

Superior Control Products Super Ant Killer II Ant bait station

4 pre-filled bait stations

Usually destroys the entire ant colony

DOMESTIC

REG. NO. 33285 P.C.P. ACT

<u>ACTIVE INGREDIENT</u>: Borax 5.4% Contains sodium benzoate at 0.25% as a preservative

## READ THE LABEL BEFORE USING

## KEEP OUT OF REACH OF CHILDREN

4 x 20mL

Superior Control Products 1937 rue Le Chatelier, Laval, Qc, H7L 5B3, Canada - (855) 808-2333 The Super Ant Killer II bait stations will control ants indoors and outdoors.

The Super Ant Killer II bait stations are composed of borax and food bait which is attractive to ants. Ants pick up the bait and take it to their nests to feed the colony. The ant colony will be destroyed in about 7 days.

DIRECTIONS: Indoors: Place bait stations 1.5 - 3.0 meters apart where ants have been. Replace traps as needed. Outdoors: Place traps near dwellings and near ant-hills. Space stations 5 meters apart.

To activate Super Ant Killer II bait stations, place stations on a flat surface with the label facing up. With the tip of scissors, puncture every hole on each side of the bait station to create an opening for the ants to enter.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Avoid contamination of water, foodstuffs and utensils. Wash after use. Use only in areas inaccessible to children and pets.

FIRST AID: If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Dispose of empty container in household garbage.