

CARTON

**WILSON® MOUSE OUT™
WARFARIN BLOCK
MOUSE BAIT STATION**

RODENTICIDE

Kills House Mice

This bait station is resistant to tampering by children.

Use indoors only.

DOMESTIC

REG. NO. 30854 P.C.P. ACT

ACTIVE INGREDIENT: Warfarin 0.025%

Warning: contains the allergens milk and wheat.

Contains malathion at 0.0019%, calcium propionate at 0.4%
and sodium benzoate at 0.4% as preservatives.

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

28 – 224 g

[1 disposable bait station containing 1 x 28-g bait block]
[up to 8 disposable bait stations containing 1 x 28-g block each]

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.
1 avenue Premier, Rivière-du-Loup, QC G5R 6C1
1-800-268-2806

Wilson® Mouse Out™ Warfarin Block Mouse Bait Station contains an anticoagulant chemical that reduces the clotting ability of the blood. After several feedings, house mice die from fatal haemorrhage.

DIRECTIONS FOR USE: For House Mice (*Mus musculus*): Remove alternative sources of food. Place ready-to-use bait feeding stations in locations frequented by house mice such as near holes or runways, against walls or in corners where house mice are seen. No need to touch bait when placing station. A shallow container of drinking water encourages consumption of bait. Place bait stations at 2 to 5-m intervals, using the smaller interval in locations where there is high level of house mouse activity observed. An uninterrupted supply of bait should be maintained for at least 15 days. **USE LIMITATIONS:** Bait **MUST** be placed in tamper-resistant bait stations. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated on this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS, DOMESTIC ANIMALS OR NON-TARGET WILDLIFE.**

PRECAUTIONS: **KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.** May be harmful or fatal if swallowed or absorbed through the skin. Do not open bait stations. Rubber gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait, bait stations and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** Keep out of lakes, streams or ponds.

FIRST AID: This product contains an anticoagulant chemical which, if taken accidentally by humans, domestic animals, pets or wildlife, may reduce the clotting ability of the blood and haemorrhage may result. **If in eyes,** hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed:** for all cases of human ingestion call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If pet or livestock poisoning is suspected,** immediately contact a veterinarian. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections or by oral ingestion are suggested remedial treatment for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Wrap used or damaged bait stations and discard in household garbage. DO NOT use damaged bait stations. Do not reuse empty container. Recycle empty carton. Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilsoncontrol.com

OPTIONAL MARKETING STATEMENTS

Clear lid allows bait to be seen

Clear lid for monitoring bait

Covered design

No need to touch bait when placing station

Ready to use

No set-up

No assembly required

Pre-filled bait station(s)

Kills House Mice

Child-resistant Bait Station (logo)

Single use (disposable) (bait station)

BAIT STATION

**WILSON® MOUSE OUT™
WARFARIN BLOCK
MOUSE BAIT STATION**

REG. NO. 30854 P.C.P. ACT

ACTIVE INGREDIENT: Warfarin 0.025%
Warning: contains the allergens milk and wheat.
Contains malathion at 0.0019%, calcium propionate at 0.4%
and sodium benzoate at 0.4% as preservatives.

WARNING  POISON

Premier Tech Ltd. / Lic. Premier Tech Home & Garden Inc.
1-800-268-2806